

FELTON

Product Catalogue April 2020



NEW

- Tate range in 12 beautiful finishes
- Digital mixers
- Jaz range
- City range

Leading innovations in water technology since 1968

Contents

OUR STORY	02
QUICK GUIDE	06
PRODUCTS	12
CATEGORIES	102
KITCHEN & LAUNDRY	103
SINK MIXERS	103
LAUNDRY TAPS	104
BATHROOM	105
BASIN MIXERS	105
SHOWER MIXERS	106 – 108
BASIN/BATH MIXERS	108
BATH SPOUTS	109
BATH FILLERS	109
FELTONMIX™ SHOWERS	110
RAIN HEADS	111
RAIN SHOWER COLUMNS	112
OXIJET™	112
SLIDE SHOWERS	113
SHOWER HEADS	114
OUR WARRANTIES	115

Our Collection



TATE

DIGITAL

Tate is a high-end, minimalist range that encapsulates the perfect combination of form, function and finish, presented in a range of exquisite colours.

PAGE 13



HALO

Minimalist forms with clean, elegant lines designed to complement the modern kitchen or bathroom.

PAGE 59



AXISS

DIGITAL

With its sleek and modern form inspired by organic curves, Axiss delivers a new level of usability and flexibility.

PAGE 29



URBAN

The Urban range reflects the current trend for square and rectangular shapes. Sharp lines are balanced with soft edges for a timeless appeal.

PAGE 64



MAX

Minimalist with an organic twist, Max is a compact and versatile range. Launched to coincide with our 50th anniversary, the range is named after our company founder Max Davies.


PAGE 47



QUE

Inspired by contemporary curves and soft square designs, the Que range adds elegance to any bathroom.

PAGE 68



FELTON COLLECTION

Classic and minimalist tapware that can be paired with products from any of our ranges, or those already installed in your bathroom or kitchen.

PAGE 53



NEW

JAZ

With its soft silhouette, the Jaz range embodies an effortlessly contemporary look for the kitchen or bathroom.

PAGE 76



SLIQUE

The Slique range embodies the soft square aesthetic with a refined and contemporary twist on the classic look.

PAGE 81



DESIGNER

The Designer range centres around the Feltonmix™, the first shower mixer to successfully apply the Venturi principle to mix hot and cold water supplied at different pressures.

PAGE 94

Water Saving Technology

Oxijet™


PAGE 101



ODYSSEY

Affordable, yet without compromise on quality, Odyssey is a classic style with an emphasis on flowing curves and organic shapes.

PAGE 84



NEW

CITY

The City range of classic kitchen, bathroom and laundry taps are manufactured from DZR brass and fitted with quality German headworks for superior performance and durability.

PAGE 89



FELTON CARE

Classic and practical with its extended lever handle that offers ease of use, greater temperature control and smooth operation for a more controlled water flow rate.

PAGE 92

Proudly New Zealand owned and operated

WHO WE ARE

Felton was first established by Max Davies in Auckland in 1968 on Felton Matthew Avenue, Glen Innes. Just like in the early days, all Felton products are proudly designed and finished in New Zealand – a breeding ground for innovation and design. Felton is proud to have some of the best designers in the industry who constantly strive for perfection and push water technology to the next level. With a vested interest in the environment, one of Felton's main areas of focus is water-saving products.



OUR MISSION

*We aim to deliver amazing customer experiences
through our shower and tapware innovations.*



*1968 — Current*MORE THAN 50 YEARS
OF TAPWARE AND INNOVATION**1968**

Founded 23rd September 1968 by Max Davies at Felton Matthew Avenue - the origin of the company's name.

**1969**


Feltonmix™ launched the first shower mixer to work on unequal water pressure - the first valve was sold in October 1969.

**1986**

The first plastic-bodied shower mixer introduced.

**2010**

Versadisc™ Shower Mixer developed and launched. Awarded Best Design Silver for conceptual product.

**2014**

Ag Oxijet™ water saving agricultural wash down nozzle awarded Best Design Silver for conceptual/experimental product.

**2015**

Axiss range tapware awarded Best Design Bronze for consumer product.

Fusion Plus® Shower Mixer developed and launched.



2003

Felton became the first NZ company to exhibit at ISH Frankfurt (Germany), the bathroomware industries' biggest international trade fair at that time.

ISH

2005

Felton relocated to bigger premises on Farmhouse Lane, Glen Innes, after almost 40 years at Felton Matthew Ave.



2009

Smartflow™ Thermostatic Shower Mixer developed and launched.



2017

The Felton Digital thermostatic shower mixers, Smartview and Smartflow were launched.



2018

23rd September 2018 marked the official date of Felton's 50th milestone, followed by a 50th anniversary celebration on the 25th October.



2019

The new & improved Fusion Plus® technology was launched.



Step by *step* guide

Whether you're building a new bathroom, renovating or replacing an existing shower, choosing products can be a daunting task. Many consumers base their decisions solely on price or style, but this often results in poor performance as the product may not be suited to their particular situation.




SELECTING THE RIGHT PRODUCTS

FOR BEST PERFORMANCE

1 Identify your water pressure system

There are 3 different household water pressure systems in New Zealand: unequal, equal low and equal high (mains). It's important to choose products that are designed for your specific pressure system, as not all products work on all pressure systems.

WHAT'S MY WATER PRESSURE?


EQUAL LOW PRESSURE	UNEQUAL PRESSURE	HIGH (MAINS) PRESSURE
 <p>Both your hot and cold supply are from the same source at low pressure - for example, cylinder, ceiling tank, a tank on an outside stand or a tank elevated on a hillside.</p>	 <p>Your cold supply comes directly in from the mains or town supply or a large supply tank installed with a pump to increase pressure, but your hot supply comes from a low pressure hot water system.</p>	 <p>Both hot and cold are supplied with mains pressure. A mains pressure hot water system is installed.</p>

2 Identify your current & future needs

Who will be the main users of this product? Will there be children or elderly users in the future? Is safety from scalding a concern? Would you like more flow, or less flow, to save water? Will you be upgrading your hot water system in a few years time?

3 Select the best mixer for your shower

Think of your shower mixer as the main engine – it supplies the right mix of flow and temperature to all the other shower components. Selecting a mixer that best matches your pressure system and needs is a crucial step to getting the best performance out of your shower.



If you're unsure what your pressure system is, the **Thumb Test** is a rough guide:

If you can hold your thumb over the outlet of the tap while it is fully turned on (either hot or cold), and you completely stop the flow of water, it is low pressure. Be careful not to scald yourself when checking the hot supply. Always check with your plumber to confirm.

Selecting the best components & style for your home

4 Select the best components for your shower

EQUAL LOW AND UNEQUAL PRESSURE SITUATION

Maximise your flow by installing a fixed rose/shower head or by using a large bore hose with your handpiece. A small bore hose fitted to an unequal pressure situation can decrease flow rates by as much as 60% compared to a large bore hose. Choose a shower head/handpiece designed for low/unequal pressures. Avoid multi-function or massage type shower heads (unless it is specifically stated to work on low pressures) as they may cause poor flow and temperature sensitivity.

All Felton slide showers are supplied with a large bore hose with a minimum internal diameter of 10mm, compared to small bore hoses which are usually 6-8mm.

EQUAL HIGH (MAINS) PRESSURE SITUATION

Consider using a flow restrictor in your shower head/handpiece to save water and energy. Most Felton shower heads/handpieces are supplied with a restrictor to ensure the most efficient use of water, while maintaining a comfortable shower.



5 Style and budget

What is your favourite style - traditional, classic or contemporary? Does this style of product match the style of your house? Will the styles that are trendy now look outdated in 5 years time? Consider the scale and shapes of products in relation to the size and shape of your basin, shower enclosure and bathroom space. Does the price fit within your budget? If not, are there more affordable options that are similar to your preferred style? Consider mixing and matching from different ranges to achieve both your style and budget requirements.



*Choosing the right shower
experience for you*

Do you prefer a soft shower? Or a hard shower?


SHOWER APERTURE

A shower rose with a **larger total aperture** area than another will usually exhibit a lower velocity (softer shower), but with higher water consumption (flow).

A shower rose with a **smaller total aperture area** than another will usually exhibit higher velocity (harder shower) but with less water consumption (flow).

Softer shower

Harder shower



PRODUCT RANGES

NEW RANGE



TATE

Tate is a high end, minimalist range offering both conventional tapware and a selection of digital mixers featuring Swiss technology and German components. Designed with compact, geometric elements, a subtle play on negative and positive space led to the unique indentation details. The Tate range encapsulates the perfect combination of form, function and finish, presented in a range of exquisite colours.

DIGITAL

HOW TO USE YOUR FELTON DIGITAL MIXER

A digital mixer is as simple to use as any regular shower mixer. Designed to ensure safety first, the Felton digital mixer provides a thermostatic feature, three memory settings and maximum temperature control setting.

TURNING ON/OFF THE MIXER

Press the mixer once to turn on.
The mixer will light up.




ADJUST THE TEMPERATURE

Turn the mixer left for hot water
and right for cold water.



ADJUST THE FLOW*

Press, hold and turn the mixer left for
less flow and right for more flow.



*The Tate Digital Wall Mounted Basin/Bath Mixer and Tate Digital Deck Mounted Sink Mixer have a fixed flow rate, i.e. no flow adjustment function. The flow adjustment function can be added to the basin and sink mixer by adding on the Flow Control Unit - product code TP0425.

DIGITAL

TATE
NEW

1 TATE SMARTFLOW DIGITAL SHOWER MIXER

- Memory setting: Three programmable settings for temperature & flow rate
- Safe cleaning mode: Disabling the unit for 45 seconds
- Eco Stop: The control unit switches off after 30 minutes by default
- Anti-scald: Slow temperature increase after 40°C
- PVD coated finish, except chrome
- Designed in NZ

TIP: Pair your digital shower mixer with a matching slide shower.

See page 27



CHROME
FD-TSFCSMC



BRUSHED GOLD
FD-TSFCSMBG



MATTE BLACK
FD-TSFCSMMB





BRUSHED NICKEL
FD-TSFCSMBN



BRUSHED GUNMETAL
FD-TSFCSMGM

1



DIGITAL



1 TATE DIGITAL WALL MOUNTED BASIN/BATH MIXER

- Memory setting: Three programmable settings for temperature only*
- Safe cleaning mode: Disabling the unit for 45 seconds
- Eco Stop: The control unit switches off after 30 minutes by default
- Anti-scald: Slow temperature increase after 40°C
- PVD coated finish, except chrome
- Left-handed or right-handed installation
- Designed in NZ

*Digital Flow Control Unit TP0425

Flow adjustment can be controlled by purchasing the additional unit.



MP ★★★★★ 5.5 L/min
(when installed as basin/sink mixer)



CHROME
FD-TBFC



BRUSHED GOLD
FD-TBFBG





MATTE BLACK
FD-TBFMB



BRUSHED NICKEL
FD-TBFBN



BRUSHED GUNMETAL
FD-TBFGM



DIGITAL

TATE
NEW

2 TATE DIGITAL DECK MOUNTED SINK MIXER

- Memory setting: Three programmable settings for temperature only*
- Safe cleaning mode: Disabling the unit for 45 seconds
- Eco Stop: The control unit switches off after 30 minutes by default
- Anti-scald: Slow temperature increase after 40°C
- Left-handed or right-handed installation
- C-C mounting distance: 100mm – 350mm
- PVD coated finish, except chrome
- 360° swivel spout
- Designed in NZ



MP ★★★★★ 6.0 L/min
(when installed as basin/sink mixer)

*Digital Flow Control Unit TP0425

Flow adjustment can be controlled by purchasing the additional unit.



CHROME
FD-TBFC



BRUSHED GOLD
FD-TBFBG



MATTE BLACK
FD-TBFMB







BRUSHED NICKEL
FD-TBFBN



BRUSHED GUNMETAL
FD-TBFGM

2









New Zealand Registered Design No. 426071

1 **TATE BASIN MIXER**

- Mains pressure only (up to 1500kPa)
- PVD coated finish, except chrome
- 25mm quality European cartridge
- Designed in NZ



MP ★ ★ ★ ★

6.0 L/min

Except chrome



CHROME
TBMC



BRUSHED GOLD
TBMBG



MATTE BLACK
TBMMB



BRUSHED NICKEL
TBMBN



BRUSHED GUNMETAL
TBMGM



MATTE BLACK GLOSS BLACK
TBMMB-GB



MATTE BLACK BRUSHED NICKEL
TBMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TBMMB-GM



MATTE BLACK BRUSHED GOLD
TBMMB-BG



BRUSHED NICKEL MATTE BLACK
TBMBN-MB




BRUSHED NICKEL BRUSHED GOLD
TBMBN-BG



BRUSHED NICKEL BRUSHED GUNMETAL
TBMBN-GM

1





New Zealand Registered Design No. 426071

2 TATE SINK MIXER

- Mains pressure only (up to 1500kPa)
- PVD coated finish, except chrome
- 25mm quality European cartridge
- 360° Swivel Spout
- Designed in NZ



MP ★ ★ ★ ★

6.5 L/min

Except chrome



CHROME

TSMC



BRUSHED GOLD

TSMBG



MATTE BLACK

TSMMB



BRUSHED NICKEL

TSMBN



BRUSHED GUNMETAL

TSMGM



MATTE BLACK GLOSS BLACK

TSMMB-GB



MATTE BLACK BRUSHED NICKEL

TSMMB-BN



MATTE BLACK BRUSHED GUNMETAL

TSMMB-GM



MATTE BLACK BRUSHED GOLD

TSMMB-BG



BRUSHED NICKEL MATTE BLACK

TSMBN-MB



BRUSHED NICKEL BRUSHED GOLD


TSMBN-BG



BRUSHED NICKEL BRUSHED GUNMETAL

TSMBN-GM

2





New Zealand Registered Design No. 426071

1 **TATE WALL MOUNTED BASIN/BATH MIXER**

- Mains pressure only (up to 1500kPa)
- PVD coated finish, except chrome
- 35mm quality European cartridge
- Left-handed or right-handed installation
- Designed in NZ

EQUAL
HIGH
(MAINS)
PRESSURE

MP

10
YEARS
WARRANTY

LIFE
TIME
EXTENSION

5
YEARS
LIMITED
WARRANTY
PRODUCT
FINISH

WELS

MP ★★★★★

7.0 L/min
(when installed as basin/sink mixer)



CHROME
TBFC



BRUSHED GOLD
TBFBG



MATTE BLACK
TBFMB



BRUSHED NICKEL
TBFBN



BRUSHED GUNMETAL
TBFGM



MATTE BLACK
GLOSS BLACK
TBFMB-GB



MATTE BLACK
BRUSHED NICKEL
TBFMB-BN



MATTE BLACK
BRUSHED GUNMETAL
TBFMB-GM



MATTE BLACK
BRUSHED GOLD
TBFMB-BG




BRUSHED NICKEL
MATTE BLACK
TBFBN-MB



BRUSHED NICKEL
BRUSHED GOLD
TBFBN-BG



BRUSHED NICKEL
BRUSHED GUNMETAL
TBFBN-GM



φ 42

108

40 - 60

104



New Zealand Registered Design No. 426071

2 TATE DECK MOUNTED SINK MIXER

- Mains pressure only (up to 1500kPa)
- PVD coated finish, except chrome
- 25mm quality European cartridge
- Can be used as basin, bath or sink mixer
- Available with two heights: standard 140mm and tall 240mm
- 360° Swivel Spout
- Left-handed or right-handed installation
- Designed in NZ



MP ★★★★★

6.5 L/min

(when installed as basin/sink mixer)

Except chrome



CHROME
TDMSMC



BRUSHED GOLD
TDMSMBG



MATTE BLACK
TDMSMMB



BRUSHED NICKEL
TDMSMBN



BRUSHED GUNMETAL
TDMSMG



MATTE BLACK GLOSS BLACK
TDMSMMB-GB



MATTE BLACK BRUSHED NICKEL
TDMSMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TDMSMMB-GM



MATTE BLACK BRUSHED GOLD
TDMSMMB-BG



BRUSHED NICKEL MATTE BLACK
TDMSMBN-MB




BRUSHED NICKEL BRUSHED GOLD
TDMSMBN-BG



BRUSHED NICKEL BRUSHED GUNMETAL
TDMSMBN-GM

2





New Zealand Registered Design No. 426071

1 TATE SHOWER MIXER

- Mains pressure only (up to 1500kPa)
- PVD coated finish, except chrome
- 35mm quality European cartridge
- Designed & assembled in NZ

EQUAL
HIGH
(MAINS)
PRESSURE

MP

NZ
DESIGNED &
ASSEMBLED

10
YEARS
WARRANTY

LIFE
TIME
EXTENSION

5
YEARS
LIMITED
WARRANTY
PRODUCT
FINISH

Except chrome



CHROME
TCSMC



BRUSHED GOLD
TCSMBG



MATTE BLACK
TCSMMB



BRUSHED NICKEL
TCSMBN



BRUSHED GUNMETAL
TCSMGM



MATTE BLACK
GLOSS BLACK
TCSMMB-GB



MATTE BLACK
BRUSHED NICKEL
TCSMMB-BN



MATTE BLACK
BRUSHED GUNMETAL
TCSMMB-GM



MATTE BLACK
BRUSHED GOLD
TCSMMB-BG




BRUSHED NICKEL
MATTE BLACK
TCSMBN-MB



BRUSHED NICKEL
BRUSHED GOLD
TCSMBN-BG



BRUSHED NICKEL
BRUSHED GUNMETAL
TCSMBN-GM





New Zealand Registered Design No. 426071

2 TATE DIVERTER MIXER

- Mains pressure only (up to 500kPa)
- PVD coated finish, except chrome
- 35mm quality European cartridge
- Switch between two water outlets
- Designed in NZ



Except chrome



CHROME
TDCSMC



BRUSHED GOLD
TDCSMBG



MATTE BLACK
TDCSMMB



BRUSHED NICKEL
TDCSMBN



BRUSHED GUNMETAL
TDCSMGM



MATTE BLACK GLOSS BLACK
TDCSMMB-GB



MATTE BLACK BRUSHED NICKEL
TDCSMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TDCSMMB-GM



MATTE BLACK BRUSHED GOLD
TDCSMMB-BG



BRUSHED NICKEL MATTE BLACK
TDCSMBN-MB




BRUSHED NICKEL BRUSHED GOLD
TDCSMBN-BG



BRUSHED NICKEL BRUSHED GUNMETAL
TDCSMBN-GM

2





1 TATE BATH SPOUT

- Suitable for all pressures (up to 1500kPa)
- PVD coated finish, except chrome
- Designed in NZ



Except chrome



CHROME

TBSC



BRUSHED GOLD

TBSBG



MATTE BLACK

TBSMB



BRUSHED NICKEL

TBSBN




BRUSHED GUNMETAL


TBSGM



**MATTE BLACK
GLOSS BLACK**

TBSMB-GB





2 TATE SINGLE SPRAY SLIDE SHOWER

- Top entry adjustable wet rail
- PVD coated finish, except chrome
- Single function handpiece
- 870mm slide rail (820mm C-C)
- Connects to slide rail without a separate outlet to elbow
- 1.5m large bore EN1113 rated hose
- Designed in NZ



10.5 L/min

**CHROME**

THSKCSRC

**BRUSHED GOLD**

THSKCSRBG

**MATTE BLACK**

THSKCSRMB

**BRUSHED NICKEL**

THSKCSRBN


**BRUSHED GUNMETAL**

THSKCSRGM

**MATTE BLACK
GLOSS BLACK**

THSKCSRMB-GB

2





AXISS

Functional, thoughtful and beautiful.

With its sleek and modern form inspired by organic curves,
AxiSS delivers a new level of usability and flexibility.

DIGITAL



AVAILABLE IN BLACK

1

AXISS SMARTFLOW™
DIGITAL SHOWER MIXER

FD-SFCSMC

- Three programmable settings for temperature and flow rate
- Disabling the unit for 45 sec
- The control unit switches off after 30 minutes by default
- Slower temperature increase after 40°C



2


AIXSS SMARTVIEW®
DIGITAL SHOWER MIXER

FD-SVCSMC


- Selection between two water outlets
- Disabling the unit for 45 sec
- The control unit can be switched off after 30 minutes on default
- Slower temperature increase after 40°C
- Checking the vision wheel with error indicator
- Choose between Celsius (°C) and Fahrenheit (°F)
- Shows the actual water consumption



1



2



DIGITAL

AXISS



3

AXISS SMARTVIEW®
DIGITAL BLACK PACK 03

FD-SVAXB03

Smartview Digital Shower Mixer
 + Axiss Shower Column Back combo



RAIN HEAD
MP ★★★ 7.5 L/min
 HANDPIECE
MP ★★★ 8.0 L/min



RAIN HEAD

HANDPIECE



4

AXISS SMARTVIEW®
DIGITAL BLACK PACK 04

FD-SVAXB04

Smartview Digital Shower Mixer
 + Axiss II Slide Shower Black
 + Axiss Rain Head Black combo




RAIN HEAD
MP ★★★ 7.5 L/min
 HANDPIECE
MP ★★ 9.5 L/min




RAIN HEAD

HANDPIECE

3



4




DIGITAL



1 AXISS SMARTFLOW™ DIGITAL PACK 02

FD-SFAXC02


Smartflow Digital Shower Mixer
+ Axiss II Slide Shower combo



2 AXISS SMARTFLOW™ DIGITAL PACK 03


FD-SFAXC03

Smartflow Digital Shower Mixer
+ Axiss Shower Column combo




RAIN HEAD HANDPIECE

1



2



DIGITAL

AXISS



3 AXISS SMARTVIEW® DIGITAL PACK 03

FD-SVAXC03

Smartview Digital Shower Mixer
+ Axiss Shower Column combo



RAIN HEAD
MP ★★★ 7.5 L/min
HANDPIECE
MP ★★★ 8.0 L/min



RAIN HEAD HANDPIECE

4 AXISS SMARTVIEW® DIGITAL PACK 04

FD-SVAXC04

Smartview Digital Shower Mixer
+ Axiss II Slide Shower
+ Axiss Rain Head combo




RAIN HEAD
MP ★★★ 7.5 L/min
HANDPIECE
MP ★★ 9.5 L/min




RAIN HEAD HANDPIECE

3



4







NEW PRODUCT

1 **AXISS II BASIN MIXER BLACK**

AX2BMB

- Matte black finish
- 25mm quality European cartridge
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 5.0 L/min

2 **AXISS SINK MIXER BLACK**

AXSMB

- Matte black finish
- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min

3 **AXISS WALL MOUNTED BASIN/
BATH MIXER BLACK**

AXBFB

- Matte black finish
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 5.5 L/min
(when installed as basin mixer)



*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer

4 **AXISS WALL MOUNTED SWIVEL BASIN/
BATH MIXER BLACK**

AXSBFB

- Matte black finish
- 40mm quality European cartridge with anti-scald and flow limiter
- 180° swivel spout
- Designed in NZ


WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 5.5 L/min
(when installed as basin mixer)



*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer


1

AX2BMB




2

AXSMB




3

AXBFB



4

AXSBFB





1 **AXISS SHOWER MIXER BLACK**

AXFCSMB

- Matte black finish
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 **AXISS MAINS PRESSURE DIVERTER SHOWER MIXER BLACK**

AXFDCSMB

- Matte black finish
- German made diverter headworks
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



3 **AXISS FUSION PLUS® SHOWER MIXER BLACK**


AXFSPCSMB

- Matte black finish
- Supplied with removable Venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter




1

AXFCSMB




2

AXFDCSMB



3

AXFSPCSMB





1 AXISS BATH SPOUT 1/2" BLACK

AXBSB

- Matte black finish
- 1/2 inch female thread
- Easy-fit installation
- Designed in NZ



2 AXISS SWIVEL BATH SPOUT 1/2" BLACK


AXBSSB

- Matte black finish
- Features 180° swivel spout
- 1/2 inch female thread & easy-fit installation
- Designed in NZ




1

AXBSB



2

AXBSSB





1 AXISS II SINGLE SPRAY SLIDE SHOWER BLACK

AX2HSKCSRB

- Matte black finish
- Single function handpiece
- 730mm slide rail (C-C 685mm)

WELS **MP** ★ ★ 9.5 L/min
LP ★ ★ 9.5 L/min

ALL PRESSURES

↓ ↓ ↓

AP

54mm²

SHOWER APERTURE

↓ ↓ ↓

WaterMark

5 YEARS WARRANTY

2 AXISS RAIN SHOWER COLUMN BLACK

AXRSCB

- Matte black finish
- Brass shower column with brackets
- Built-in diverter to switch between rain head and handpiece

WELS **MP** ★ ★ ★ 7.5 L/min Rain head
MP ★ ★ ★ 8.0 L/min Handpiece

EQUAL HIGH (MAINS) PRESSURE

↓ ↓ ↓

MP

89mm²

SHOWER APERTURE

↓ ↓ ↓

54mm²

SHOWER APERTURE

↓ ↓ ↓


WaterMark

5 YEARS WARRANTY

RAIN HEAD HANDPIECE


1

AX2HSKCSRB



2

AXRSCB





1 **AXISS RAIN HEAD CEILING MOUNTED BLACK**

AXRHCMsb (180mm)

AXRHCMB (300mm)

- Matte black finish
- 180mm & 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread



MP ★ ★ ★ 7.5 L/min

LP ★ ★ 11.0 L/min



2 AXISS RAIN HEAD WALL MOUNTED BLACK

AXRHWMB (450mm)

- Matte black finish
- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread




MP ★ ★ ★ 7.5 L/min


LP ★ ★ 11.0 L/min




1




AXRHCMSB



AXRHCMB



2



AXRHWMB

Bronze.

**Best Design Awards
Winner 2015**





NEW PRODUCT

1 **AXISS II BASIN MIXER**

AX2BMC

- 25mm quality European cartridge
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 5.0 L/min

2 **AXISS SINK MIXER**

AXSMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min

3 **AXISS SINK MIXER
BRUSHED NICKEL**

AXSMM


- Low maintenance brushed nickel finish (resistant to water spots)
- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min




1

AX2BMC




2

AXSMC



3

AXSMM





1 **AXISS SHOWER MIXER**

AXFCSCMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 **AXISS MAINS PRESSURE DIVERTER SHOWER MIXER**

AXFDCSCMC

- German made diverter headworks
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



3 **AXISS FUSION PLUS® SHOWER MIXER**


AXFSPCSCMC

- Supplied with removable Venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter




1

AXFCSCMC




2

AXFDCSCMC



3

AXFSPCSCMC





1 AXISS WALL MOUNTED BASIN/ BATH MIXER

AXBFC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min
(when installed as basin mixer)



*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer



2 AXISS WALL MOUNTED SWIVEL BASIN/ BATH MIXER

AXSBFC

- 40mm quality European cartridge with anti-scald and flow limiter
- 180° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 5.5 L/min
(when installed as basin mixer)



*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer



3 AXISS BATH SPOUT 1/2"

AXBSC





- 1/2 inch female thread
- Easy-fit installation
- Designed in NZ



4 AXISS SWIVEL BATH SPOUT 1/2"

AXBSSC

- 180° swivel spout
- 1/2 inch female thread & easy-fit installation
- Designed in NZ





1 AXISS II SINGLE SPRAY SLIDE SHOWER

AX2HSKCSR

- Single function handpiece
- 730mm slide rail (C-C 685mm)

WELS **MP** ★ ★ 10.0 L/min
LP ★ ★ 10.0 L/min

ALL PRESSURES

↓ ↓ ↓

AP

54mm²

SHOWER APERTURE

W

WaterMark

5 YEARS WARRANTY

2 AXISS RAIN SHOWER COLUMN

AXRSCC

- Brass shower column with brackets
- Built in diverter to switch between rain head and handpiece
- Top entry shower column

WELS **MP** ★ ★ ★ 7.5 L/min Rain head
MP ★ ★ ★ 8.0 L/min Handpiece

EQUAL HIGH (MAINS) PRESSURE

↓ ↓ ↓

MP

89mm²

SHOWER APERTURE

54mm²

SHOWER APERTURE

W


WaterMark

5 YEARS WARRANTY

RAIN HEAD HANDPIECE


1

AX2HSKCSR



2

AXRSCC





1 AXISS RAIN HEAD CEILING MOUNTED

AXRHCMSC (180mm)
AXRHCMC (300mm)

- 180mm & 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

WELS MP ★★★ 7.5 L/min
LP ★★ 11.0 L/min



2 AXISS RAIN HEAD WALL MOUNTED


AXRHWMC (450mm)

- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread

WELS MP ★★★ 7.5 L/min
LP ★★ 11.0 L/min




1



AXRHCMSC

AXRHCMC

2



AXRHWMC



**Best Design Awards
Finalist 2018**



MAX

Minimalist with an organic twist, Max is a compact and versatile range. Launched to coincide with our 50th anniversary, the range is named after our company founder Max Davies. Usability and flexibility are paramount with the incorporation of swivel spouts and varying spout lengths. It is ideal for smaller bathrooms and kitchens where space is a premium.



1 MAX BASIN MIXER

MXBMC

- 25mm quality European cartridge
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 4.5 L/min



2 MAX SWIVEL BASIN MIXER

MXSBMC

- 25mm quality European cartridge
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 4.5 L/min



3 MAX TALL BASIN MIXER

MXTBMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 7.0 L/min



4 MAX SINK MIXER

MXSMC


- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 7.5 L/min




1

MXBMC




2

MXSBMC




3

MXTBMC



4

MXSMC





1 MAX MAINS PRESSURE SHOWER MIXER

MXCSMC

- Quality metal faceplate
- 35mm quality European cartridge
- Designed and assembled in NZ



2 MAX DIVERTER SHOWER MIXER

MXDCSMC

- Switch between two water outlets
- 35mm quality European cartridge
- Designed and assembled in NZ



3 MAX FUSION PLUS® SHOWER MIXER


MXFSPSCMC

- Supplied with removable Venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter




1

MXCSMC




2

MXDCSMC



3

MXFSPSCMC





*MEDIUM SPOUT SHOWN



*MEDIUM SPOUT SHOWN

1 MAX WALL MOUNTED SWIVEL BASIN/ BATH MIXER

MXSBFC-S | MXSBFC-M | MXSBFC-L

- Available in three different spout lengths – short, medium and long
- 180° swivel spout
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ



MP ★★★★★ 7.5 L/min
LP ★★★★★ 7.0 L/min

(when installed as basin mixer)



*All pressures when installed as basin mixer

**Equal pressure only when installed as bath mixer


2 MAX SWIVEL BATH SPOUT

MXSBSC-S | MXSBSC-M | MXSBSC-L


- Available in three different spout lengths – short, medium and long
- 180° swivel spout
- ½ inch female thread & easy-fit installation
- Designed in NZ




1



2





3 MAX SINGLE SPRAY SLIDE SHOWER

MXHSKCSR

- Top entry inlet adjustable wet rail
- Single function handpiece
- 870mm slide rail (C-C 820mm)
- Connects to slide rail without a separate outlet to elbow



MP ★ ★ ★
LP ★ ★ ★

8.0 L/min
6.0 L/min



3

MXHSKCSR


FEMALE INLET
G1/2" BSP

ADJ MAX C-C 820

Ø 45.0

134

870





FELTON COLLECTION

Classic and minimalist tapware that can be paired with products from our ranges, or those already installed in your bathroom or kitchen.



1

LUNA BATH FILLER
FREE STANDING SPOUT

C-BFSC01

- Floor mounted
- Suitable for mounting on both concrete and wooden floors

ALL PRESSURES


AP

10

YEARS

WARRANTY

LIFE

TIME

EXTENSION

2

LUNA BATH FILLER
FREE STANDING SPOUT BLACK

C-BFSB01

- Floor mounted
- Matte black finish
- Suitable for mounting on both concrete and wooden floors

ALL PRESSURES


AP

10

YEARS

WARRANTY

LIFE

TIME

EXTENSION


5

YEARS

LIMITED WARRANTY PRODUCT FINISH


1


C-BFSC01



2

C-BFSB01





1 LUNA BATH FILLER FREE STANDING SPOUT & MIXER

C-BFSMC01

- Quality European 35mm ceramic cartridge
- Floor mounted
- Suitable for mounting on both concrete and wooden floors
- Supplied with two kinds of plates - 10.5mm and 50mm



MP ★

12.5 L/min



2 ELLA SHOWER ROSE 01

C-SHC01

- Single function shower head
- G ½ inch BSP male thread arm




MP ★ ★
LP ★ ★

10.0 L/min
9.5 L/min




1

C-BFSMC01



2

C-SHC01





1 BEX ALL PRESSURE PULL DOWN SINK MIXER 01

C-SMC01

- Pull down spring action
- Single spray function
- **Not for commercial use**



MP ★★★★★
LP ★★★★★

7.0 L/min
6.5 L/min



2 BEX ALL PRESSURE PULL DOWN SINK MIXER 02

C-SMC02

- Pull down spring action
- Single spray function
- **Not for commercial use**




MP ★★★★★
LP ★★★★★

7.0 L/min
6.5 L/min




1

C-SMC01



2

C-SMC02





1 06 SMALL SINK MIXER

06MSSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ



MP ★★★★★
LP ★★★

6.5 L/min
8.5 L/min



2 06 SINK MIXER

06MSMC

- For all pressures
- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ



MP ★★★★★
LP ★★★

6.5 L/min
8.5 L/min



3 VOLO SPRING SINK MIXER

VSMSPC

- 40mm quality European cartridge with anti-scald and flow limiter
- Pull down spout with dual function spray and jet
- 360° swivel spout
- **Not for commercial use**




MP ★★★

7.0 L/min




1

06MSSMC




2

06MSMC



3

VSMSPC





HALO

Minimalist forms with clean, elegant lines designed
to complement the modern kitchen or bathroom.



1 HALO BASIN MIXER

HBMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ

 **MP** ★★★★★ 7.0 L/min
LP ★★★★★ 7.0 L/min



2 HALO SINK MIXER

HSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

 **MP** ★★★★★ 6.5 L/min
LP ★★★ 8.5L/min



3 HALO SHOWER MIXER

HMCSMC Ø120mm regular faceplate
HMCSMCL Ø195mm large faceplate

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ



4 HALO FUSION PLUS® SHOWER MIXER


HFSPCSMC Ø150mm regular faceplate
HFSPCSMCL Ø195mm large faceplate

- Supplied with removable Venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ


1

HBMC




2

HSMC




3

HMCSMC/ HMCSMCL



4

HFSPCSMC/ HFSPCSMCL





5 HALO BATH SPOUT


06BSC

- 1/2 inch female thread
- Designed in NZ



5

06BSC




NEW & IMPROVED FELTON WEBSITE

WWW.FELTON.CO.NZ



Check out our new site
or scan the QR code




1 HALO II SINGLE SPRAY SLIDE SHOWER

H2HSKCSRW (WHITE)
H2HSKCSRG (GUNMETAL)

- Single function handpiece
- Handpiece face available in two different colours - gunmetal and white
- 770mm slide rail (C-C 672mm)

WELS MP ★★ 9.5 L/min
LP ★★★ 7.5 L/min




2 HALO II RAIN SHOWER COLUMN

H2RSCC (TOP ENTRY)
HRSCC (BOTTOM ENTRY)

- Single function handpiece in gunmetal
- Top entry (H2RSCC) or bottom entry inlet (HRSCC) option available
- Brass shower column with brackets
- Built in diverter to switch between rain head and handpiece
- Concealed inlet from wingback - hose to handpiece only

H2RSCC
WELS MP ★★★ 7.5 L/min Rain Head
MP ★★★ 7.5 L/min Handpiece


HRSCC
MP ★★★ 9.0 L/min Rain Head
MP ★★★ 9.0 L/min Handpiece




RAIN HEAD HANDPIECE

1


H2HSKCSRW/H2HSKCSRG



2



H2RSCC
TOP ENTRY INLET



HRSCC
BOTTOM ENTRY INLET



1 HALO RAIN HEAD CEILING MOUNTED

HRHCMSC (180mm)

HRHCMC (300mm)

- 180mm & 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread



MP ★★ ★ 8.0 L/min
LP ZERO STAR RATED



2 HALO RAIN HEAD WALL MOUNTED

HRHWMC (450mm)


- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread



MP ★★ ★ 8.0 L/min
LP ZERO STAR RATED




1



2

HRHWMC





U R B A N

The Urban range reflects the current trend for square and rectangular shapes. Sharp lines are balanced with soft edges for a timeless appeal.



1 URBAN II BASIN MIXER

U2BMC

- 35mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ



MP ★★★★★
LP ★★★

6.5 L/min
7.0 L/min



2 URBAN SHOWER MIXER

UFCSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



3 URBAN FUSION PLUS® SHOWER MIXER

UFSPSCMC

- Supplied with removable Venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ




4 URBAN VERSADISC™ BATH SHOWER DIVERter MIXER

UVDSMC


- Includes two interchangeable sub-cartridges
- Full front of wall maintenance. Ideal for future mains pressure upgrade
- Quality metal faceplate & German made diverter headworks
- Switch between two water outlets
- Proprietary Felton F5 cartridge with anti-scald and flow limiter




1




2



3



4





1 **URBAN BATH SPOUT 1/2"**

UBSC

- 1/2 inch male thread
- Easy-fit installation
- Designed in NZ

ALL PRESSURES

↓ ↓ ↓
AP

WaterMark

W

10 YEARS WARRANTY

LIFE TIME EXTENSION



Available in White

2 **URBAN II SINGLE SPRAY SLIDE SHOWER**

U2HSKCSRW (WHITE)
U2HSKCSRG (GUNMETAL)

- Single function handpiece
- Handpiece face available in two different colours - gunmetal and white
- 1.5m large bore EN1113 rated brass hose

WELS

MP ★★
LP ★★★

9.5 L/min
7.5 L/min

ALL PRESSURES

↓ ↓ ↓
AP

38mm² SHOWER APERTURE

SHOWER


WaterMark

W

5 YEARS WARRANTY


1


UBSC



2

U2HSKCSRW/U2HSKCSRG





1 URBAN RAIN HEAD CEILING MOUNTED

URHCMSC (180mm)

URHCMC (300mm)

- 180mm & 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread



MP ★★★ 7.5 L/min
LP ZERO STAR RATED



Min 70kPa

2 URBAN RAIN HEAD WALL MOUNTED

URHWMC (450mm)

- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread




MP ★★★ 7.5 L/min
LP ZERO STAR RATED




Min 70kPa

1



2

URHWMC



Q U E

Inspired by contemporary curves and soft square designs,
the Que range adds elegance to any bathroom.





1 QUE BASIN MIXER BLACK

QBMB

- Matte black finish
- 25mm quality European cartridge
- Designed in NZ



MP ★★★★★ 7.0 L/min
LP ★★★★★ 5.5 L/min



2 QUE II SINK MIXER BLACK

Q2SMB

- Matte black finish
- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ



MP ★★★★★ 7.0 L/min
LP ★★★★★ 6.5 L/min



3 QUE BATH SPOUT BLACK


QBSB

- Matte black finish
- ½ inch female thread & easy-fit installation
- Designed in NZ




1

QBMB




2

Q2SMB



3

QBSB





1 QUE SHOWER MIXER BLACK

QFCSMB

- Matte black finish
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 QUE FUSION PLUS® SHOWER MIXER BLACK

QFSPCSMB

- Supplied with removable Venturi jets for unequal pressures
- Matte black finish
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton cartridge with anti-scald and flow limiter



3 QUE II SINGLE SPRAY SLIDE SHOWER BLACK

Q2HSKCSRB


- Single function handpiece
- 840mm slide rail (731mm C-C)
- 1.5m large bore EN1113 rated smooth hose

WELS MP ★★ 9.5 L/min
LP ★★ 9.5L/min




1

QFCSMB




2

QFSPCSMB



3

Q2HSKCSRB





1 QUE RAIN HEAD CEILING MOUNTED BLACK

QRHCMSB (180mm)

QRHCMB (300mm)

- Matte black finish
- 180mm & 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

WELS MP ★★★ 7.5 L/min
LP ZERO STAR RATED



2 QUE RAIN HEAD WALL MOUNTED BLACK


QRHWMB (450mm)

- Matte black finish
- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread

WELS MP ★★★ 7.5 L/min
LP ZERO STAR RATED




1



QRHCMSB

QRHCMB

2






1 QUE BASIN MIXER

QBMC

- 25mm quality European cartridge
- Designed in NZ




MP ★★★★★


LP ★★★★★

7.0 L/min

5.5 L/min

ALL PRESSURES





10 YEARS WARRANTY


LIFE TIME EXTENSION



2 QUE II SINK MIXER

Q2SMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ




MP ★★★★★


LP ★★★★★

7.0 L/min

6.5 L/min

ALL PRESSURES





10 YEARS WARRANTY

LIFE TIME EXTENSION



3 QUE BATH SPOUT

QBSC

- ½ inch female thread
- Easy-fit installation
- Designed in NZ

ALL PRESSURES







10 YEARS WARRANTY

LIFE TIME EXTENSION


1 QBMC



2 Q2SMC



3 QBSC





1 QUE SHOWER MIXER

QFCSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 QUE FUSION PLUS® SHOWER MIXER

QFSPCSMC

- Supplied with removable Venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



3 QUE VERSADISC™ DIVERTER BATH SHOWER MIXER


QVDSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ




1

QFCSMC




2


QFSPCSMC



3

QVDSMC





1 QUE II SINGLE SPRAY SLIDE SHOWER

Q2HSKCSR

- Single function handpiece
- 840mm pivoting slide rail (C-C 731mm)

WELS MP ★★ 11.5 L/min
LP ★★ 10.0 L/min



2 QUE II RAIN SHOWER COLUMN

Q2RSCC (TOP ENTRY)
QRSCC (BOTTOM ENTRY)

- Brass shower column with brackets
- Top entry (Q2RSCC) or bottom entry inlet (QRSCC) option available
- Built in diverter to switch between rain head and handpiece
- Concealed inlet from wingback - hose to handpiece only


WELS Q2RSCC MP ★★★★★ 7.5 L/min Rain Head
MP ★★★★★ 7.5 L/min Handpiece
QRSCC MP ★★★★★ 9.0L/min Rain Head
MP ★★★★★ 9.0 L/min Handpiece




RAIN HEAD HANDPIECE

1

Q2HSKCSR



2





1 QUE RAIN HEAD CEILING MOUNTED


QRHCMSC (180mm)

QRHCMC (300mm)

- 180mm & 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread



MP ★★★ 7.5 L/min
LP ZERO STAR RATED



2 QUE RAIN HEAD WALL MOUNTED

QRHWMC (450mm)


- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread




MP ★★★ 7.5 L/min
LP ZERO STAR RATED



1



2



NEW RANGE

J A Z

With its soft silhouette, the Jaz range embodies an effortlessly contemporary look for the kitchen or bathroom.

AVAILABLE 1ST AUGUST 2020



1 JAZ BASIN MIXER

JBMC

- 35mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ



MP ★★★★★ 8.0 L/min
LP ★★★★★ 6.5 L/min



2 JAZ SWIVEL BASIN MIXER

JSBMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ



MP ★★★★★ 7.5 L/min
LP ★★★★★ 7.5 L/min



3 JAZ SINK MIXER

JSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ




MP ★★★★★ 8.0 L/min
LP ★★★★★ 6.5 L/min




1

JBMC




2

JSBMC



3

JSMC





1 JAZ MAINS PRESSURE SHOWER MIXER

JCSMC

- 35mm quality European cartridge
- Designed & assembled in NZ



2 JAZ MAINS PRESSURE DIVERTER MIXER

JDSCMC

- Switch between two outlets
- 35mm quality European cartridge with anti-scald and flow limiter



3 JAZ FUSION PLUS® SHOWER MIXER 150MM

JFSPSCSMC

- Supplied with venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton cartridge with anti-scald and flow limiter
- Designed & assembled in NZ



4 JAZ FUSION PLUS® SHOWER MIXER 195MM


JFSPSCMCL

- Supplied with venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton cartridge with anti-scald and flow limiter
- Designed & assembled in NZ




1

JCSMC




2

JDSCMC




3

JFSPSCSMC



4

JFSPSCMCL





1 JAZ BATH SPOUT 1/2"

JBSC

- 1/2 inch female thread
- Easy-fit installation
- Pivoting straightener included
- Designed & assembled in NZ



2 JAZ SINGLE SPRAY SLIDE SHOWER


JHSKCSR

- Single function handpiece
- 700mm slide rail (590mm C-C)
- 1.5m large bore EN1113 rated metal hose




1

JBSC



2

JHSKCSR





S L I Q U E

The Slique range embodies a soft square aesthetic with a refined and contemporary twist on the classic look.



1 SLIQUE BASIN MIXER

SBMC

- 25mm quality European cartridge

WELS MP ★★★★★ 6.5 L/min
LP ★★★★★ 5.5 L/min



2 SLIQUE TALL BASIN MIXER

STBMC

- 25mm quality European cartridge
- Designed in NZ

WELS MP ★★★★★ 6.5 L/min
LP ★★★★★ 5.0 L/min



3 SLIQUE SINK MIXER

SSMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ


WELS MP ★★★ 8.0 L/min
LP ★★★★★ 6.5 L/min



4 SLIQUE BATH SPOUT

SBSC

- ½ inch female thread
- Easy-fit installation
- Designed in NZ





1 SLIQUE SHOWER MIXER

SFCSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 SLIQUE FUSION PLUS® SHOWER MIXER

SFSPSCMC

- Supplied with removable Venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Quality metal faceplate
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



3 SLIQUE DIVERTER MIXER

SDCSMC

- 35mm quality European cartridge with anti-scald and flow limiter



4 SLIQUE WALL MOUNTED BASIN/BATH MIXER


SBFC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ




*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer


1 SFCSCMC




2 SFSPSCMC



3 SDCSMC



4 SBFC





ODYSSEY

Affordable, yet without compromise on quality, Odyssey is a classic style with an emphasis on flowing curves and organic shapes.



1 ODYSSEY BASIN MIXER 35MM

OCBM

- 35mm quality European cartridge with anti-scald and flow limiter



MP ★★★★★ 6.5 L/min
LP ★★★★★ 7.5 L/min



2 ODYSSEY BASIN MIXER 40MM

OCBM2

- 40mm quality European cartridge with anti-scald and flow limiter



MP ★★★★★ 7.5 L/min
LP ★★★★★ 8.5 L/min



3 ODYSSEY SWIVEL BASIN MIXER

OSBMC

- 40mm quality European cartridge
- 360° swivel spout
- Designed in NZ



MP ★★★★★ 7.0 L/min
LP ★★★★★ 9.0 L/min



4 ODYSSEY SINK MIXER 40MM

OSM2

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout




MP ★★★★★ 7.0 L/min
LP ★★★★★ 9.0 L/min




1

OCBM




2

OCBM2




3

OSBMC



4

OSM2





1 **ODYSSEY SHOWER MIXER**

OCSMC (Ø120mm)
OCSMCL (Ø195mm)

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed & assembled in NZ



2 **ODYSSEY FUSION PLUS® SHOWER MIXER**

OFSPCSMC (Ø150mm)
OFSPCSMCL (Ø195mm)




- Supplied with removable Venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



3 **ODYSSEY BATH SPOUT 3/4"**

OBSC

- 155mm reach from wall to centre of outlet
- 3/4 inch female thread





1 ODYSSEY II SINGLE SPRAY SLIDE SHOWER

O2CHSKCSR

- Single function handpiece
- 690mm adjustable slide rail (max 655mm C-C)
- 1.5m large bore EN1113 rated metal hose

WELS **MP** ★ ★ 10.5 L/min
LP ★ 13.0 L/min



2 ODYSSEY II HAND SHOWER KIT

O2HSC


- Single function handpiece
- Easy DIY conversion to fit onto an existing Feltonmix wallset by replacing existing shower head with elbow supplied
- Chrome wall bracket
- 1.5m large bore EN1113 rated metal hose

WELS **MP** ★ ★ 10.5 L/min
LP ★ 13.0 L/min




1

O2CHSKCSR



2

O2HSC





CITY

The City range of classic kitchen, bathroom and laundry taps are manufactured from DZR brass and fitted with quality German headworks for superior performance and durability.



1 CITY BASIN TAP (PAIR)

CBSTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ

WELS MP ZERO STAR RATED | 61.0 L/min



2 CITY BATH TAP 20MM

CBTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ



3 CITY LAUNDRY COMBINATION

CLCTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ




4 CITY SINK TAP 15MM

CSTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ

WELS MP ZERO STAR RATED | 61.0 L/min





1 CITY WASHING MACHINE TAPS

CLSC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ



2 CITY TUB TAP

CTTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ



MP ZERO STAR RATED | 61.0 L/min




3 CITY WALL MOUNTED SINK FAUCET

CWMSTC

- German made headworks
- Manufactured from DZR brass
- Designed in NZ



MP ZERO STAR RATED | 44.0 L/min





FELTON CARE

The Felton Care Range is classic and practical with its extended lever handle that offers ease of use, greater temperature control and smooth operation for a more controlled water flow rate.



1 FELTON CARE SINK MIXER

FCSMC

- 40mm quality European cartridge
- Designed in NZ
- Watermark certified



MP ★★★★★
LP ★★★

7.0 L/min
9.0 L/min



2 FELTON CARE BASIN MIXER

FCBMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Watermark certified
- Designed in NZ



MP ★★★★★
LP ★★

7.0 L/min
9.5 L/min



3 FELTON CARE SHOWER MIXER

FCCSMC


- 40mm quality European cartridge with anti-scald and flow limiter
- Watermark certified
- Designed and assembled in NZ



N.B. Larger faceplate option available on request


1

FCSMC




2

FCBMC



3

FCCSMC





DESIGNER

The Designer range centres around the Feltonmix™ shower mixer, the first shower mixer to successfully apply the Venturi principle to mix hot and cold water supplied at different pressures. Trusted by New Zealand plumbers and homeowners for more than 40 years, the Feltonmix™ continues to prove its reliability and performance time and time again.



Mixing valve not included



Mixing valve not included

1 DESIGNER III FELTONMIX™ WALLSET WHITE

D3WSW

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures



MP ★ ★ ★
LP ★ ★ ★

8.0 L/min
9.0 L/min



2 DESIGNER III FELTONMIX™ WALLSET CHROME GREY

D3WSCG

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures



MP ★ ★ ★
LP ★ ★ ★

8.0 L/min
9.0 L/min

Unequal pressure
mixing valve includedEqual high pressure
mixing valve included

3 DESIGNER III FELTONMIX™ TRADE COMBO UNEQUAL PRESSURE WHITE

D3SCUW

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures



LP ★ ★ ★

9.0 L/min



4 DESIGNER III FELTONMIX™ TRADE COMBO EQUAL HIGH PRESSURE CHROME GREY

D3SCHCG

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures




MP ★ ★ ★

8.0 L/min




1

D3WSW




2

D3WSCG




3

D3SCUW



4

D3SCHCG





Mixing valve not included

1 **DESIGNER II FELTONMIX™
WALLSET CHROME**

CWSD2

- Designed and made in NZ

WELS MP ★★★ LP★★ 7.5 L/min 12.0 L/min

ALL PRESSURES
AP

NZ MADE

12mm²
SHOWER
APERTURE

WaterMark

5
YEARS
WARRANTY



Mixing valve not included

2 **DESIGNER II FELTONMIX™
WALLSET WHITE**

WWSD2

- Designed and made in NZ

WELS MP ★★★ LP★★ 7.5 L/min 12.0 L/min

ALL PRESSURES
AP

NZ MADE

12mm²
SHOWER
APERTURE

WaterMark

5
YEARS
WARRANTY



Mixing valve included

3 **DESIGNER SURFACE
MOUNT PACK**

WSMP

- Designed for mounting onto a solid concrete or block wall
- Can also be used to convert from a bath situation, where an integral caddy is not required. Feltonmix wallset and mixing valve included - please specify pressure valve type on order

WELS MP ★★★ LP★★ 7.5 L/min 12.0 L/min

ALL PRESSURES
AP

NZ MADE

12mm²
SHOWER
APERTURE

5
YEARS
WARRANTY



NB: Not to be fitted into Feltonmix Mixing Valve

4 **DESIGNER III SHOWER HEAD
CHROME GREY DELUXE**

D3SHCGD

- Quality brass arm
- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage

WELS MP ★★★ LP★★★ 7.0 L/min 9.0 L/min

ALL PRESSURES
AP


NZ MADE

42mm²
SHOWER
APERTURE


WaterMark

5
YEARS
WARRANTY


1 CWSD2




2 WWSD2



3 WSMP



4 D3SHCGD





1 DESIGNER '86 FELTONMIX™ MIXING VALVE EQUAL HIGH PRESSURE (PINK)

FMH

- Designed and made in NZ
- Engineered to suit New Zealand water pressures



2 DESIGNER '86 FELTONMIX™ MIXING VALVE UNEQUAL PRESSURE (BLUE)

FMU

- Designed and made in NZ
- Engineered to suit New Zealand water pressures



3 DESIGNER '86 FELTONMIX™ MIXING VALVE EQUAL LOW PRESSURE (GREEN)

FME

- Designed and made in NZ
- Engineered to suit New Zealand water pressures



mixing valve included



4 DESIGNER REGAL OVER THE BATH SHOWER UNIT





RW

- Designed to convert an existing bath into a bath/shower. Attaches to existing taps without an expensive installation, requires only the simplest of tools.
- Mixing valve included, taps not included
- Incorporates a roomy shower caddy. Adaptor cover & bush included



MP ★★★
LP ★★

7.5 L/min
12.0 L/min





1 DESIGNER II SHOWER HEAD CHROME

CSHD2

- Designed and made in NZ

WELS MP ★★★ LP★★ 7.5 L/min 12.0 L/min

ALL PRESSURES AP

NZ MADE

12mm² SHOWER APERATURE

5 YEARS WARRANTY



2 '86 SHOWER HEAD WHITE

WSH

- Designed and made in NZ

WELS MP ★★★ LP★ 7.0 L/min 14.0 L/min

ALL PRESSURES AP

NZ MADE

30mm² SHOWER APERATURE

5 YEARS WARRANTY



3 DESIGNER II SHOWER HEAD WHITE

WSHD2

- Designed and made in NZ

WELS MP ★★★ LP★★ 7.5 L/min 12.0 L/min

ALL PRESSURES AP

NZ MADE

12mm² SHOWER APERATURE

5 YEARS WARRANTY



4 VARIABLE SHOWER HEAD WHITE

WSHV

- Designed and made in NZ

WELS MP ★★★ LP★★ 7.0 L/min 11.0 L/min


ALL PRESSURES AP

NZ MADE

5 YEARS WARRANTY


1

CSHD2




2

WSH




3

WSHD2



4

WSHV





mixing valve included



1 DESIGNER II SINGLE SPRAY SLIDE SHOWER

D2HSKCSR

- Single function handpiece
- Easy DIY conversion to fit onto an existing Feltonmix wallset by replacing existing shower head with elbow supplied
- 690mm adjustable slide rail (max 655mm C-C)
- 1.5m large bore EN1113 rated metal hose



MP ★★
LP ★★★

9.5 L/min
7.5 L/min



2 DESIGNER II FLEXISHOWER CHROME

D2FSCCSR

- Single function handpiece
- Feltonmix wallset and mixing valve included - please specify pressure valve type on order
- 690mm adjustable slide rail (max 655mm C-C)
- 1.5m large bore EN1113 rated metal hose




MP ★★
LP ★★★

9.5 L/min
7.5 L/min




1

D2HSKCSR



2

D2FSCCSR





OXIJET™

WATER SAVING TECHNOLOGY

WATER SAVING TECHNOLOGY


OXIJET

FELTON OXIJET™


The Oxijet™ works by jetting the water through 4 tiny nozzles, and sucking air into the stem of the shower rose. The air volumises and pressurises the water, creating tiny air bubbles within the water stream that burst when they touch your skin. In many mains pressure situations the Oxijet™ will pay for itself in water and energy savings, and help you do your part to preserve our beautiful planet.

**BEST DESIGN AWARDS
FINALIST 2013**
SUSTAINABLE PRODUCT DESIGN


Best.



YELLOW
TO FIT A SHOWER HANDPIECE
TP0114



PINK
TO FIT A FEMALE FIXED ROSE
TP0115



BLUE
TO FIT A MALE FIXED ROSE
TP0116



Homes with equal low or unequal pressures may not benefit as much from water saving products as they already have low flows. This product is not intended for multi-function handpieces or showerheads where there is built-in restriction that cannot be removed. If you're unsure of whether this product is suitable for your situation, give us a ring on 0800 743 358 and we will be happy to assist you.

MAINS PRESSURE

NO.	DIMENSIONS	Water Efficiency (WELS Star Rating)	Water Consumption (Flow rate in litres per min)
1.	W23 x H27.9	★★★	8.5
2.	W23 x H25.5	★★★	8.5
3.	W23 x H29.5	★★★	8.5

C A T E G O R I E S

Products at a glance

Whether in a low, high or unequal pressure environment, Felton's extensive range includes the iconic Feltonmix™ mixer, the award winning Fusion Plus® full front-of-wall maintenance technology. Fancy a low water bill? Have a look at the patented Oxijet™ water saving product for a water efficient yet luxurious experience.

From the classic look and feel of the Odyssey range to the innovation and functionality of the Axiss & Tate range, we've got the perfect option for your lifestyle and decor.



Kitchen & Laundry

SINK MIXERS



TATE DIGITAL DECK MOUNTED
SINK MIXER

AVAILABLE IN 5 FINISHES

MAINS PRESSURE

PG 17



TATE SINK MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 21



TATE DECK MOUNTED
SINK MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 23



AXISS SINK MIXER BLACK

AXSMB

ALL PRESSURES

PG 35



AXISS SINK MIXER

AXSMC

ALL PRESSURES

PG 41



AXISS SINK MIXER BRUSHED
NICKEL

AXSMM

ALL PRESSURES

PG 41



MAX SINK MIXER

MXSMC

ALL PRESSURES

PG 48



BEX ALL PRESSURE PULL
DOWN SINK MIXER 01

C-SMC01

ALL PRESSURES

PG 56
NOT FOR COMMERCIAL USE



BEX ALL PRESSURE PULL
DOWN SINK MIXER 01

C-SMC02

ALL PRESSURES

PG 56
NOT FOR COMMERCIAL USE



06 SMALL SINK MIXER

06MSSMC

ALL PRESSURES

PG 57



06 SINK MIXER

06MSMC

ALL PRESSURES

PG 57



VOLO SPRING SINK MIXER
CHROME

VSMSPC

MAINS PRESSURE

PG 57
NOT FOR COMMERCIAL USE



HALO SINK MIXER

HSMC

ALL PRESSURES

PG 60



QUE II SINK MIXER BLACK

Q2SMB

ALL PRESSURES

PG 69



QUE II SINK MIXER

Q2SMC

ALL PRESSURES

PG 72



JAZ SINK MIXER

JSMC

ALL PRESSURES

PG 77



SLIQUE SINK MIXER

SSMC

ALL PRESSURES

PG 82



ODYSSEY SINK MIXER 40MM

OSM2

ALL PRESSURES

PG 85



FELTON CARE SINK MIXER

FCSMC

ALL PRESSURES

PG 93

Kitchen & Laundry

LAUNDRY TAPS



CITY BATH TAP 20MM

CBTC

ALL PRESSURES

PG 90



CITY LAUNDRY COMBINATION

CLCTC

ALL PRESSURES

PG 90



CITY SINK TAP 15MM

CSTC

ALL PRESSURES

PG 90



CITY WASHING MACHINE TAPS

CLSC

ALL PRESSURES

PG 91



CITY TUB TAP

CTTC

ALL PRESSURES

PG 91



CITY WALL MOUNTED SINK
FAUCET

CWMSTC

ALL PRESSURES

PG 91

Bathroom

BASIN MIXERS



TATE BASIN MIXER

AVAILABLE IN 12 FINISHES

ALL PRESSURES

PG 20



AXISS II BASIN MIXER BLACK

AXBMB

ALL PRESSURES

PG 35



AXISS II BASIN MIXER

AXBMC

ALL PRESSURES

PG 41



MAX BASIN MIXER

MXBMC

ALL PRESSURES

PG 48



MAX SWIVEL BASIN MIXER

MXSBMC

ALL PRESSURES

PG 48



MAX TALL BASIN MIXER

MXTBMC

ALL PRESSURES

PG 48



HALO BASIN MIXER

HBMC

ALL PRESSURES

PG 60



URBAN II BASIN MIXER

U2BMC

ALL PRESSURES

PG 65



QUE BASIN MIXER BLACK

QBBM

ALL PRESSURES

PG 69



QUE BASIN MIXER

QBMC

ALL PRESSURES

PG 72



JAZ BASIN MIXER

JBMC

ALL PRESSURES

PG 77



JAZ SWIVEL BASIN MIXER

JSBMC

ALL PRESSURES

PG 77



SLIQUE BASIN MIXER

SBMC

ALL PRESSURES

PG 82



SLIQUE TALL BASIN MIXER

STBMC

ALL PRESSURES

PG 82



ODYSSEY BASIN MIXER 35MM

OCBM

ALL PRESSURES

PG 85



ODYSSEY BASIN MIXER 40MM

OCBM2

ALL PRESSURES

PG 85



ODYSSEY SWIVEL BASIN MIXER

OSBMC

ALL PRESSURES

PG 85



CITY BASIN TAP

CBSTC

ALL PRESSURES

PG 90



FELTON CARE BASIN MIXER

FCBMC

ALL PRESSURES






PG 93






Bathroom




DIGITAL SHOWER MIXERS

			
TATE DIGITAL SHOWER MIXER	SMARTFLOW DIGITAL SHOWER MIXER	SMARTVIEW DIGITAL SHOWER MIXER	SMARTVIEW DIGITAL SHOWER MIXER
FD-SFCSMC	FD-SVCSMC (WHITE)	FD-SVCSMC (BLACK)	
AVAILABLE IN 5 FINISHES	MAINS PRESSURE	MAINS PRESSURE	MAINS PRESSURE
PG 15	PG 30	PG 30	PG 30

FUSION PLUS® ALL PRESSURES SHOWER MIXERS

				
AXISS FUSION PLUS® SHOWER MIXER BLACK	AXISS FUSION PLUS® SHOWER MIXER	MAX FUSION PLUS® SHOWER MIXER	HALO FUSION PLUS® SHOWER MIXER 150MM	HALO FUSION PLUS® SHOWER MIXER 195MM
AXFSPCSMB	AXFSPCSMC	MXFSPCSMC	HFSPCSMC	HFSPCSMCL
ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES
PG 36	PG 42	PG 49	PG 60	PG 60

				
URBAN FUSION PLUS® SHOWER MIXER	QUE FUSION PLUS® SHOWER MIXER BLACK	QUE FUSION PLUS® SHOWER MIXER	JAZ FUSION PLUS® SHOWER MIXER 150MM	JAZ FUSION PLUS® SHOWER MIXER 195MM
UFSPCSMC	QFSPCSMB	QFSPCSMC	JFSPCSMC	JFSPCSMCL
ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES
PG 65	PG 70	PG 73	PG 78	PG 78

		
SLIQUE FUSION PLUS® SHOWER MIXER	ODYSSEY FUSION PLUS® SHOWER MIXER 120MM	ODYSSEY FUSION PLUS® SHOWER MIXER 195MM
SFSPCSMC	OFSPCSMC	OFSPCSMCL
ALL PRESSURES	ALL PRESSURES	ALL PRESSURES
PG 83	PG 86	PG 86

Bathroom

MAINS PRESSURE SHOWER MIXERS



TATE MAINS PRESSURE SHOWER MIXER
AVAILABLE IN 12 FINISHES
MAINS PRESSURE
PG 24



MAX MAINS PRESSURE SHOWER MIXER
MXCSMC
MAINS PRESSURE
PG 49



JAZ MAINS PRESSURE SHOWER MIXER
JCSMC
MAINS PRESSURE
PG 78

MAINS (EQUAL HIGH)/EQUAL LOW PRESSURE SHOWER MIXERS



AXISS SHOWER MIXER BLACK
AXFCSMB
MAINS/EQUAL LOW PRESSURE
PG 36



AXISS SHOWER MIXER
AXFCSMC
MAINS/EQUAL LOW PRESSURE
PG 42



HALO SHOWER MIXER 120MM
HMCSMC
MAINS/EQUAL LOW PRESSURE
PG 60



HALO SHOWER MIXER 195MM
HMCSMCL
MAINS/EQUAL LOW PRESSURE
PG 60



URBAN SHOWER MIXER
UFCSMC
MAINS/EQUAL LOW PRESSURE
PG 65



QUE SHOWER MIXER BLACK
QFCSMB
MAINS/EQUAL LOW PRESSURE
PG 70



QUE SHOWER MIXER
QFCSMC
MAINS/EQUAL LOW PRESSURE
PG 73



SLIQUE SHOWER MIXER
SFCSCMC
MAINS/EQUAL LOW PRESSURE
PG 83



ODYSSEY SHOWER MIXER 120MM
OCSMC
MAINS/EQUAL LOW PRESSURE
PG 86



ODYSSEY SHOWER MIXER 195MM
OCSMCL
MAINS/EQUAL LOW PRESSURE
PG 86



FELTON CARE SHOWER MIXER 120MM
FCCSMC
MAINS/EQUAL LOW PRESSURE
PG 93

Bathroom

DIVERTER SHOWER MIXER



TATE MAINS PRESSURE
DIVERTER MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 25



AXISS MAINS PRESSURE
DIVERTER MIXER BLACK

AXFDCSMB

MAINS PRESSURE

PG 36



AXISS MAINS PRESSURE
DIVERTER MIXER

AXFDCSMC

MAINS PRESSURE

PG 42



MAX MAINS PRESSURE
DIVERTER MIXER

MXDCSMC

MAINS PRESSURE

PG 49



URBAN VERSADISC™ BATH
SHOWER DIVERTER MIXER

UVDSMC

ALL PRESSURES

PG 65



QUE VERSADISC™ BATH
SHOWER DIVERTER MIXER

QVDSMC

ALL PRESSURES

PG 73



JAZ MAINS PRESSURE
DIVERTER MIXER

JDCSMC

MAINS PRESSURE

PG 78



SLIQUE MAINS PRESSURE
DIVERTER MIXER

SDCSMC

MAINS PRESSURE

PG 83

WALL MOUNTED BASIN/BATH MIXERS



TATE DIGITAL WALL MOUNTED
BASIN/BATH MIXER

AVAILABLE IN 5 FINISHES

MAINS PRESSURE

PG 16



TATE WALL MOUNTED
BASIN/BATH MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 22



AXISS WALL MOUNTED
BASIN/BATH MIXER BLACK

AXBFB

ALL PRESSURES

PG 35



AXISS WALL MOUNTED SWIVEL
BASIN/BATH MIXER BLACK

AXSBFB

ALL PRESSURES

PG 35



AXISS WALL MOUNTED
BASIN/BATH MIXER

AXBFC

ALL PRESSURES

PG 43



AXISS WALL MOUNTED
SWIVEL BASIN/BATH MIXER

AXSBFC

ALL PRESSURES

PG 43



MAX WALL MOUNTED SWIVEL
BASIN/BATH MIXER SHORT

MXSBFC-S

ALL PRESSURES

PG 50



MAX WALL MOUNTED SWIVEL
BASIN/BATH MIXER MEDIUM

MXSBFC-M

ALL PRESSURES

PG 50



MAX WALL MOUNTED SWIVEL
BASIN/BATH MIXER LONG

MXSBFC-L

ALL PRESSURES

PG 50



SLIQUE WALL MOUNTED
BASIN/BATH MIXER

SBFC

ALL PRESSURES

PG 83

Bathroom

BATH SPOUTS/BATH FILLERS



TATE BATH SPOUT 1/2"

AVAILABLE IN 5 FINISHES

ALL PRESSURES

PG 26



AXISS BATH SPOUT 1/2" BLACK

AXB5B

ALL PRESSURES

PG 37



AXISS SWIVEL BATH SPOUT 1/2" BLACK

AXB5SB

ALL PRESSURES

PG 37



AXISS BATH SPOUT 1/2"

AXB5C

ALL PRESSURES

PG 43



AXISS SWIVEL BATH SPOUT 1/2"

AXB5SC

ALL PRESSURES

PG 43



MAX SWIVEL BATH SPOUT 130MM SHORT

MXSB5C-S

ALL PRESSURES

PG 50



MAX SWIVEL BATH SPOUT MEDIUM

MXSB5C-M

ALL PRESSURES

PG 50



MAX SWIVEL BATH SPOUT LARGE

MXSB5C-L

ALL PRESSURES

PG 50



HALO BATH SPOUT 1/2"

06B5C

ALL PRESSURES

PG 61



URBAN BATH SPOUT 1/2"

UB5C

ALL PRESSURES

PG 66



QUE BATH SPOUT 1/2" BLACK

QBSB

ALL PRESSURES

PG 69



QUE BATH SPOUT 1/2"

QB5C

ALL PRESSURES

PG 72



JAZ BATH SPOUT 1/2"

JB5C

ALL PRESSURES

PG 79



SLIQUE BATH SPOUT 1/2"

SB5C

ALL PRESSURES

PG 82



ODYSSEY BATH SPOUT 3/4"

OB5C

ALL PRESSURES

PG 86



LUNA BATH FILLER FREE STANDING SPOUT

C-BF5C01

ALL PRESSURES

PG 54



LUNA BATH FILLER FREE STANDING SPOUT BLACK

C-BF5B01

ALL PRESSURES

PG 54



LUNA BATH FILLER FREE STANDING SPOUT AND MIXER

C-BF5MC01

MAINS PRESSURE

PG 55

Bathroom

FELTONMIX™ SHOWERS



DESIGNER III FELTONMIX™
WALLSET WHITE

D3WSW

ALL PRESSURES

PG 95



DESIGNER III FELTONMIX™
WALLSET CHROME GREY

D3WSCG

ALL PRESSURES

PG 95



Unequal pressure
mixing valve included

DESIGNER III FELTONMIX™
TRADE COMBO UNEQUAL
PRESSURE WHITE

D3SCUW

UNEQUAL PRESSURE

PG 95



Equal high pressure
mixing valve included

DESIGNER III FELTONMIX™
TRADE COMBO EQUAL HIGH
PRESSURE CHROME GREY

D3SCHCG

MAINS PRESSURE

PG 95



DESIGNER II FELTONMIX™
WALLSET WHITE

WWSD2

ALL PRESSURES

PG 96



DESIGNER II FELTONMIX™
WALLSET CHROME

CWSD2

ALL PRESSURES

PG 96



DESIGNER '86 FELTONMIX™
MIXING VALVE EQUAL HIGH
PRESSURE (PINK)

FMH

MAINS PRESSURE

PG 97



DESIGNER '86 FELTONMIX™
MIXING VALVE UNEQUAL
PRESSURE (BLUE)

FMU

UNEQUAL PRESSURE

PG 97



DESIGNER '86 FELTONMIX™
MIXING VALVE EQUAL LOW
PRESSURE (GREEN)

FME

LOW PRESSURE

PG 97



DESIGNER SURFACE MOUNT
PACK

WSMP

ALL PRESSURES

PG 96



DESIGNER REGAL OVER THE
BATH UNIT

RW

ALL PRESSURES

PG 97



Bathroom

RAIN HEADS



AXISS RAIN HEAD CEILING MOUNTED BLACK (300MM)

AXRHCMCB

ALL PRESSURES

min 35kPa

PG 39



AXISS RAIN HEAD CEILING MOUNTED BLACK (180MM)

AXRHCMSC

ALL PRESSURES

min 35kPa

PG 39



AXISS RAIN HEAD WALL MOUNTED BLACK (450MM)

AXRHWMB

ALL PRESSURES

min 35kPa

PG 39



AXISS RAIN HEAD CEILING MOUNTED (300MM)

AXRHCMC

ALL PRESSURES

min 35kPa

PG 45



AXISS RAIN HEAD CEILING MOUNTED (180MM)

AXRHCMSC

ALL PRESSURES

min 35kPa

PG 45



AXISS RAIN HEAD WALL MOUNTED (450MM)

AXRHWMC

ALL PRESSURES

min 35kPa

PG 45



HALO RAIN HEAD CEILING MOUNTED (300MM)

HRHCMC

ALL PRESSURES

min 70kPa

PG 63



HALO RAIN HEAD CEILING MOUNTED (180MM)

HRHCMSC

ALL PRESSURES

min 70kPa

PG 63



HALO RAIN HEAD WALL MOUNTED (450MM)

HRHWMC

ALL PRESSURES

min 70kPa

PG 63



URBAN RAIN HEAD CEILING MOUNTED (300MM)

URHCMC

ALL PRESSURES

min 70kPa

PG 67



URBAN RAIN HEAD CEILING MOUNTED (180MM)

URHCMSC

ALL PRESSURES

min 70kPa

PG 67



URBAN RAIN HEAD WALL MOUNTED (450MM)

URHWMC

ALL PRESSURES

min 70kPa

PG 67



QUE RAIN HEAD CEILING MOUNTED BLACK (300MM)

QRHCMB

ALL PRESSURES

min 70kPa

PG 71



QUE RAIN HEAD CEILING MOUNTED BLACK (180MM)

QRHCMSC

ALL PRESSURES

min 70kPa

PG 71



QUE RAIN HEAD WALL MOUNTED BLACK (450MM)

QRHWMB

ALL PRESSURES

min 70kPa

PG 71



QUE RAIN HEAD CEILING MOUNTED (300MM)

QRHCMC

ALL PRESSURES

min 70kPa

PG 75



QUE RAIN HEAD CEILING MOUNTED (180MM)

QRHCMSC

ALL PRESSURES

min 70kPa

PG 75



QUE RAIN HEAD WALL MOUNTED (450MM)

QRHWMC

ALL PRESSURES

min 70kPa

PG 75



Bathroom

RAIN SHOWER COLUMNS




AXISS RAIN SHOWER COLUMN
BLACK

AXRSCB

MAINS PRESSURE

PG 38

89mm ² SHOWER APERTURE RAINHEAD	54mm ² SHOWER APERTURE HANDPIECE
---	--



AXISS RAIN SHOWER COLUMN

AXRSCC

MAINS PRESSURE

PG 44

89mm ² SHOWER APERTURE RAINHEAD	54mm ² SHOWER APERTURE HANDPIECE
---	--



HALO II RAIN SHOWER
COLUMN

H2RSCC

MAINS PRESSURE

PG 62

143mm ² SHOWER APERTURE RAINHEAD	38mm ² SHOWER APERTURE HANDPIECE
--	--



QUE II RAIN SHOWER COLUMN

Q2RSCC

MAINS PRESSURE

PG 74

81mm ² SHOWER APERTURE RAINHEAD	54mm ² SHOWER APERTURE HANDPIECE
---	--



HALO RAIN SHOWER COLUMN

HRSCC

MAINS PRESSURE

PG 62

143mm ² SHOWER APERTURE RAINHEAD	38mm ² SHOWER APERTURE HANDPIECE
--	--



QUE RAIN SHOWER COLUMN

QRSCC

MAINS PRESSURE

PG 74

81mm ² SHOWER APERTURE RAINHEAD	54mm ² SHOWER APERTURE HANDPIECE
---	--

OXIJET™



OXIJET TO FIT SHOWER
HANDPIECE (YELLOW)

TP0114

MAINS PRESSURE

PG 101



OXIJET TO FIT FEMALE FIXED
ROSE (PINK)

TP0115

MAINS PRESSURE

PG 101



OXIJET TO FIT MALE FIXED
ROSE (BLUE)

TP0116

MAINS PRESSURE

PG 101

Bathroom

SLIDE SHOWERS



TATE SINGLE SPRAY
SLIDE SHOWER

AVAILABLE IN 5 FINISHES

MAINS PRESSURE

PG 27



AXISS II SINGLE SPRAY
SLIDE SHOWER BLACK

AX2HSKCSRB

ALL PRESSURES

PG 38



AXISS II SINGLE SPRAY
SLIDE SHOWER CHROME

AX2HSKCSR

ALL PRESSURES

PG 44



TOP
ENTRY
INLET

MAX SINGLE SPRAY
SLIDE SHOWER

MXHSKCSR

ALL PRESSURES

PG 51



HALO II SINGLE SPRAY
SLIDE SHOWER WHITE

H2HSKCSRW

ALL PRESSURES

PG 62



HALO II SINGLE SPRAY
SLIDE SHOWER GUNMETAL

H2HSKCSRG

ALL PRESSURES

PG 62



URBAN II SINGLE SPRAY
SLIDE SHOWER WHITE

U2HSKCSRW

ALL PRESSURES

PG 66



URBAN II SINGLE SPRAY
SLIDE SHOWER GUNMETAL

U2HSKCSRG

ALL PRESSURES

PG 66



QUE II SINGLE SPRAY
SLIDE SHOWER BLACK

Q2HSKCSRB

ALL PRESSURES

PG 70



QUE II SINGLE SPRAY
SLIDE SHOWER CHROME

Q2HSKCSR

ALL PRESSURES

PG 74



Bathroom

SLIDE SHOWERS



JAZ SINGLE SPRAY SLIDE SHOWER

JHSKCSR

ALL PRESSURES

PG 79



ODYSSEY II SINGLE SPRAY SLIDE SHOWER

O2CHSKCSR

ALL PRESSURES

PG 87



ODYSSEY II SINGLE SPRAY HAND SHOWER KIT

O2HSKC

ALL PRESSURES

PG 87



DESIGNER II SINGLE SPRAY SLIDE SHOWER

D2HSKCSR

ALL PRESSURES

PG 99



DESIGNER II FLEXISHOWER CHROME

D2FSCCSR

ALL PRESSURES

PG 99



SHOWER HEADS



ELLA SHOWER ROSE 01

C-SHC01

ALL PRESSURES

PG 55



DESIGNER III SHOWER HEAD CHROME GREY DELUXE

D3SHCGD

ALL PRESSURES

PG 96



DESIGNER II SHOWER HEAD CHROME

CSDH2

ALL PRESSURES

PG 98



DESIGNER II SHOWER HEAD WHITE

WSHD2

ALL PRESSURES

PG 98



'86 SHOWER HEAD WHITE

WSH

ALL PRESSURES

PG 98










VARIABLE SHOWER HEAD WHITE

WSHV

ALL PRESSURES

PG 98

OUR WARRANTIES

PRODUCT CATEGORY	5 YEARS WARRANTY Replacement parts only	10 YEARS WARRANTY Replacement parts only	LIFE TIME EXTENSION Eligibility*	12 MONTHS COMMERCIAL WARRANTY Replacement parts only
 Digital Mixers Finishes	✓	✗	✗	✗
 Equal pressure (Flexidisc™) Mains pressures Fusion™ Fusion Plus® Versadisc™ Shower Mixers	✗	✓ 5 Years Plumber's Labour (Conditions Apply)	✓	✓
 Basin Mixers Basin Taps Sink Mixers Sink Taps Stop Cocks Bath Spouts & Fillers Laundry Taps	✗	✓ 5 Years Plumber's Labour (Conditions Apply)	✓	✓
 Oxijet™ Water Saving Products	✗	✓	✗	✓
 Feltonmix™ Shower Mixers	✓ 5 Years Plumber's Labour (Conditions Apply)	✗	✗	✓
 Shower Heads Hand Showers Slide Showers Rain Columns	✓	✗	✗	✓
 Spare Parts & Accessories	✓	✗	✗	✗

*You must register the purchase and installation of the mixer by returning the completed warranty card to Felton within 6 months of the date of purchase. Full T&C available online - www.felton.co.nz

D I G I T A L W A R R A N T Y

5-year warranty applies to all Felton Digital branded products including the electronic hardware and its components.

Where products are promoted as having a "5-year warranty", Felton Industries Limited guarantees the electronic components of these products (excluding batteries) to be free from defects in materials and workmanship under normal installation, use and service for a period of five (5) years from the date of purchase. Fair wear and tear is expressly excluded.

This warranty is effective for five (5) years from the date of purchase and covers electronic replacement parts only (excluding batteries) and 2 years from the date of purchase for plumber's labour relating solely to repairing or replacing the Hardware, provided the product is installed by a registered plumber. You must retain proof of purchase of the Hardware (such as an invoice or receipt) and proof of installation by a registered plumber and provide these to Felton on request.

This warranty is for manufacturing defects only and does not cover any damage to product due to abuse, negligence or improper installation. This warranty is given on the understanding that the product is installed by a registered plumber and operated according to Felton's installation guide and the Australian/New Zealand standard AS/NZS3500. This warranty is provided to persons who are a "consumer" under the Consumer Guarantees Act 1993 only and for use in domestic/residential dwellings only (not for commercial use).

This warranty is subject to any other rights or remedies that you may have under the Consumer Guarantees Act 1993 (or any other applicable legislation) and to Felton's Terms of Trade.

This 5-year warranty does not cover:

- 1) any consumable items (e.g. batteries, filters, installation fittings) supplied with the products.
- 2) damage, problems or unsatisfactory performance caused to the electronic hardware by:
 - a. Faulty or incorrect electrical wiring, incorrect power supply, voltage fluctuations, over voltage transient spikes or electromagnetic interference not originating within the electronic hardware.
 - b. Incorrect or poor installation or application
 - c. Operation at conditions outside the operating conditions specified in the Felton Digital technical or sales data applicable to that electronic hardware.
 - d. Reconfiguration of the digital interface by the user – this is considered a service not a warranty.

F I N I S H E S C A R E & M A I N T E N A N C E

Any metal coating can scratch, whether it's a chrome plated tap or a polished car – if you scrape something sharp or hard on the surface, it will leave a mark and may remove some coating. All that should touch tapware and showerware is skin, cloths and towels. Rings on fingers can be a risk – but it takes some force to do much damage.

The main risk of scratching is in the installation and building phase. Once installed, fittings need protection until the renovation or build is finished. We recommend leaving the cloth bag (supplied with most tapware product) or shower mixer sleeve protector over it until all work is finished.

A soft cloth or microfibre cloth and warm soapy water is all that's needed to clean Felton products. Avoid waxes, solvents, abrasives, acids and other chemical-based cleaning products and don't use any rough cleaning materials such as scourers.

A special note for tapware and showerware with a matte black finish – over time, you may find light staining due to silicone grease from the o-rings and seals used in the swivel joints and for watertightness. You can remove this by using a clean soft/microfibre cloth with methylated spirits (denatured alcohol) dishwashing liquid to remove any silicone grease stain. Overall, with a little TLC the more you care for your tapware, the longer they will last.

N.B. Matte black, Gloss black, Brushed Gold, Brushed Nickel, Brushed Gunmetal products has a 5 year limited warranty on product finish.

FELTON

www.felton.co.nz

CALL **0800 743 358**

FAX **0800 329 335**

At Felton we care about our customers, our people and our planet. We are passionate about enhancing lives with innovative products. Felton products combine unique water technologies with a focus on the end user. To find out more, visit our website or follow us on social media.

FELTON PRODUCT CATALOGUE

Effective 1 April 2020. Products may differ slightly from literature and illustrations. Felton Industries Limited reserves the right to incorporate product changes and improvements without prior notice.



FELTON INDUSTRIES LTD

8 Farmhouse Lane Glen Innes Auckland 1072
sales@felton.co.nz | Find us on social media



@feltontapware



/feltonltd



/FeltonIndustriesLimited



@feltonltd



/felton-industries-limited