



## LINEA Digital Mixers

Sleek, smart, and intuitive! The new Linea Digital mixers offer precise control at the touch of a button, with LED indicators, built-in safety features, and a clean, minimalist design bringing modern innovation to your everyday rituals.



### LINEA THERMOSTATIC DIGITAL SHOWER MIXER






#### WATER PATH

|                              |                  |
|------------------------------|------------------|
| Input                        | 1/2" BSP         |
| Output                       | 1/2" BSP         |
| Flow                         | 25L/min @ 300kPa |
| Pressure Range               | 150-500kPa       |
| Difference of pressure       | 100kPa           |
| Maximum outlet temperature   | 45 °C            |
| Hot inlet temperature range  | 55-65 °C         |
| Cold inlet temperature range | 5-55 °C          |

#### ELECTRONICS

|                      |                        |
|----------------------|------------------------|
| Input supply voltage | AC100V-240V AC/50-60HZ |
| Output power voltage | DC12V                  |
| Power consumption    | 18W (max)              |

### LINEA DIGITAL WALL MOUNTED BASIN/BATH MIXER



#### Water Path

|                              |                  |
|------------------------------|------------------|
| Input                        | 1/2" BSP         |
| Output                       | 1/2" BSP         |
| Flow                         | 25L/min @ 300kPa |
| Pressure Range               | 150-500kPa       |
| Difference of pressure       | 100kPa           |
| Maximum outlet temperature   | 45 °C            |
| Hot inlet temperature range  | 55-65 °C         |
| Cold inlet temperature range | 4-25 °C          |

#### ELECTRONICS

|                      |                        |
|----------------------|------------------------|
| Input supply voltage | AC100V-240V AC/50-60HZ |
| Output power voltage | DC12V                  |
| Power consumption    | 18W(max)               |

There is plenty of scope for application for both thermostatic digital shower mixer and wall mounted basin / bath mixer units, although ceiling mounted is the recommended option:

## SCOPE OF APPLICATION



**Wire and Data Cable must be installed prior to the wall lining.** It is recommended that the data cable is installed in conduit for ease of maintenance.


**Important:** The Digital Mixer must have an access panel and should not be sealed in the wall

**Warning:** Please ensure that all electrical installations are installed by a registered electrician and complies with the Electrical (Safety) Regulations of NZ.


**Important:** The Digital Mixer must have an access panel.

## LINEA THERMOSTATIC DIGITAL SHOWER MIXER

A Ceiling Mounted (Recommended)




B Wall Mounted



## LINEA DIGITAL WALL MOUNTED BASIN/BATH MIXER

Under Basin (Recommended)



For technical assistance please ring  
NZ 0800 743 358 or (09) 528 0810 | AUS 1800 798 760