

FELTON

Product Catalogue April 2021



Leading innovations in water technology since 1968

Our Collections



TATE

DIGITAL

Tate is a high-end, minimalist range that encapsulates the perfect combination of form, function and finish, presented in a range of exquisite colours.

PAGE 15

NEW FINISHES



HALO

Minimalist forms with clean, elegant lines designed to complement the modern kitchen or bathroom.

PAGE 71



AXISS II

DIGITAL

With its sleek and modern form inspired by organic curves, Axiss delivers a new level of usability and flexibility.

PAGE 37



URBAN

The Urban range reflects the current trend for square and rectangular shapes. Sharp lines are balanced with soft edges for a timeless appeal.

PAGE 77



MAX

Minimalist with an organic twist, Max is a compact and versatile range. Launched in 2018 to coincide with our 50th anniversary, the range is named after our company founder Max Davies.

PAGE 59



QUE

Inspired by contemporary curves and soft square designs, the Que range adds elegance to any bathroom.

PAGE 81

NEW FINISHES



FELTON COLLECTION

Classic and minimalist tapware that can be paired with products from any of our ranges, or those already installed in your bathroom or kitchen.

PAGE 65



JAZ

With its soft silhouette, the Jaz range embodies an effortlessly contemporary look for the kitchen or bathroom.

PAGE 93



SLIQUE

The Slique range embodies the soft square aesthetic with a refined and contemporary twist on the classic look.

PAGE 97



DESIGNER

The Designer range centres around the Feltonmix®, the first shower mixer to successfully apply the Venturi principle to mix hot and cold water supplied at different pressures.

PAGE 111

Water Saving Technology



ODYSSEY

Affordable, yet without compromise on quality, Odyssey is a classic style with an emphasis on flowing curves and organic shapes.


PAGE 101



CITY

The City range of classic kitchen, bathroom and laundry taps are manufactured from DZR brass and fitted with quality German headworks for superior performance and durability.

PAGE 105



FELTON CARE

Classic and practical with its extended lever handle that offers ease of use, greater temperature control and smooth operation for a more controlled water flow rate.

PAGE 109

Oxijet®

PAGE 117

Proudly New Zealand owned and operated

WHO WE ARE

Felton was first established by Max Davies in Auckland in 1968 on Felton Matthew Avenue, Saint Johns. Just like in the early days, Felton products are proudly designed and finished in New Zealand – a breeding ground for innovation and design. Felton is proud to have some of the best designers in the industry who constantly strive for perfection and push water technology to the next level. With a vested interest in the environment, one of Felton's main areas of focus is water-saving products.





*1968 — Current*MORE THAN 50 YEARS
OF TAPWARE AND INNOVATION**1968**

Founded 23rd September 1968
by Max Davies at Felton Matthew
Avenue - the origin of the
company's name.

**1969**

Feltonmix® launched the first
shower mixer to work on unequal
water pressure - the first valve was
sold in October 1969.

**1986**

The first plastic-bodied shower mixer
introduced.

**2003**

Felton became the first NZ
company to exhibit at ISH Frankfurt
(Germany), the bathroomware
industries' biggest international
trade fair at that time.

ISH**2005**

Felton relocated to bigger
premises on Farmhouse Lane,
Glen Innes, after almost 40 years
at Felton Matthew Ave.


**2009**

Smartflow® Thermostatic Shower
Mixer developed and launched.



2010

Versadisc™ Shower Mixer developed and launched. Awarded Best Design Silver for conceptual product.



2014

The Ag Oxijet® water saving agricultural wash down nozzle was awarded Silver in 2014 and Gold in 2016 at Best Design Awards.



2015

Axis range tapware awarded Best Design Bronze for consumer product.

Fusion Plus® Shower Mixer developed and launched.



2017

The Felton Digital thermostatic shower mixers, Smartview® and Smartflow were launched.



2018

23rd September 2018 marked the official date of Felton's 50th milestone, followed by a 50th anniversary celebration on the 25th October.



2019

The new & improved Fusion Plus® technology was launched.



2020

Felton introduced the Tate and Tate Digital range with various PVD finishes.



Step by *step* guide

Whether you're building a new bathroom, renovating or replacing an existing shower, choosing products can be a daunting task. Many consumers base their decisions solely on price or style, but this often results in poor performance as the product may not be suited to their particular situation.




SELECTING THE RIGHT PRODUCTS

FOR BEST PERFORMANCE

1 Identify your water pressure system

There are 3 different household water pressure systems in New Zealand: unequal, equal low and equal high (mains). It's important to choose products that are designed for your specific pressure system, as not all products work on all pressure systems.

WHAT'S MY WATER PRESSURE?


EQUAL LOW PRESSURE	UNEQUAL PRESSURE	HIGH (MAINS) PRESSURE
 <p>Both your hot and cold supply are from the same source at low pressure - for example, cylinder, ceiling tank, a tank on an outside stand or a tank elevated on a hillside.</p>	 <p>Your cold supply comes directly in from the mains or town supply or a large supply tank installed with a pump to increase pressure, but your hot supply comes from a low pressure hot water system.</p>	 <p>Both hot and cold are supplied with mains pressure. A mains pressure hot water system is installed.</p>

2 Identify your current & future needs

Who will be the main users of this product? Will there be children or elderly users in the future? Is safety from scalding a concern? Would you like more flow, or less flow, to save water? Will you be upgrading your hot water system in a few years time?


3 Select the best mixer for your shower

Think of your shower mixer as the main engine – it supplies the right mix of flow and temperature to all the other shower components. Selecting a mixer that best matches your pressure system and needs is a crucial step to getting the best performance out of your shower.



If you're unsure what your pressure system is, the **Thumb Test** is a rough guide:

If you can hold your thumb over the outlet of the tap while it is fully turned on (either hot or cold), and you completely stop the flow of water, it is low pressure. Be careful not to scald yourself when checking the hot supply. Always check with your plumber to confirm.



Selecting the best components & style for your home

4 Select the best components for your shower

EQUAL LOW AND UNEQUAL PRESSURE SITUATION

Maximise your flow by installing a fixed rose/shower head or by using a large bore hose with your handpiece. A small bore hose fitted to an unequal pressure situation can decrease flow rates by as much as 60% compared to a large bore hose. Choose a shower head/handpiece designed for low/unequal pressures. Avoid multi-function or massage type shower heads (unless it is specifically stated to work on low pressures) as they may cause poor flow and temperature sensitivity.

EQUAL HIGH (MAINS) PRESSURE SITUATION

Consider using a flow restrictor in your shower head/handpiece to save water and energy. Most Felton shower heads/handpieces are supplied with a restrictor to ensure the most efficient use of water, while maintaining a comfortable shower.



5 Style and budget

What is your favourite style - traditional, classic or contemporary? Does this style of product match the style of your house? Will the styles that are trendy now look outdated in 5 years time? Consider the scale and shapes of products in relation to the size and shape of your basin, shower enclosure and bathroom space. Does the price fit within your budget? If not, are there more affordable options that are similar to your preferred style? Consider mixing and matching from different ranges to achieve both your style and budget requirements.



*Choosing the right shower
experience for you*

Do you prefer a soft shower? Or a hard shower?


SHOWER APERTURE

A shower rose with a **larger total aperture area** than another will usually exhibit a lower velocity (softer shower), but with higher water consumption (flow).

A shower rose with a **smaller total aperture area** than another will usually exhibit higher velocity (harder shower) but with less water consumption (flow).

Softer shower

Harder shower



DIGITAL

SMARTFLOW® DIGITAL MIXER



A digital mixer is as simple to use as any regular shower mixer. Designed to ensure safety first, the digital mixer provides LED colour temperature change, three memory settings, gradual temperature change and an ambient light setting function.

Available in the Tate Digital (p. 16) and Axiss Digital range (p. 38)

TURNING THE MIXER ON/OFF

Press the mixer once to turn on.
The Smartflow mixer will light up.
Press the mixer again to turn off.




ADJUSTING THE TEMPERATURE

Turn the mixer clockwise for hot water
and anti-clockwise for cold water.



ADJUSTING THE FLOW*

Press, hold and turn the mixer
anti-clockwise to decrease flow
and clockwise to increase flow.



*The Tate Digital Wall Mounted Mixer and the Tate Digital Deck Mounted Mixer have a fixed flow rate, i.e no flow adjustment function. If you would like to control flow rates for these products, simply purchase the Tate Digital Shower Mixer and pair it with the Tate Wall Mounted Spout or Tate Deck Mounted Spout.


DIGITAL**SMARTVIEW® DIGITAL MIXER**

The Smartview® thermostatic mixer features an LED screen which displays all your settings including current temperature and actual water usage. It features LED lights that indicate change in water temperature, three programmable memory settings for temperature and flow rate, a programmable maximum run time, gradual temperature change and a battery back up.

Available in the Axiss Digital range (p. 38)

TURNING THE MIXER ON/OFF


Press the mixer once to turn on.
The Smartview mixer will light up.
Press the mixer again to turn off.

**ADJUSTING THE TEMPERATURE**

Turn the mixer clockwise for hot water
and anti-clockwise for cold water.

**COLD****WARM****HOT****ADJUSTING THE FLOW**

Press, hold and turn the
Smartview mixer anti-clockwise to
decrease flow and clockwise to
increase flow.

**DECREASE FLOW****INCREASE FLOW**



TATE

Tate is a high end, minimalist range offering both conventional tapware and a selection of digital mixers featuring Swiss technology and German components. Designed with compact, geometric elements, a subtle play on negative and positive space led to the unique indentation details. The Tate range encapsulates the perfect combination of form, function and finish, presented in a range of exquisite colours.

DIGITAL



1 TATE SMARTFLOW DIGITAL SHOWER MIXER

- Digital thermostatic shower mixer
- Available in chrome & PVD finishes
- LED lights indicate change in water temperature
- Three programmable memory settings for temperature and flow rate
- Programmable maximum run time
- Ambient light setting function
- Gradual temperature change



Up to 500kPa

TIP: Pair your digital shower mixer with a matching slide shower.

See page 30



CHROME

FD-TSFCSMC



BRUSHED GOLD

FD-TSFCSMBG



MATTE BLACK

FD-TSFCSMMB



BRUSHED NICKEL

FD-TSFCSMBN



BRUSHED GUNMETAL

FD-TSFCSMGM



MATTE BLACK
GLOSS BLACK



FD-TSFCSMMB-GB



BRUSHED BRONZE

FD-TSFCSMBBZ

1





1 TATE DIGITAL WALL MOUNTED MIXER

- Available in chrome & PVD finishes
- Suitable for left or right-handed installation
- LED lights indicate change in water temperature
- Three programmable memory settings for temperature and flow rate*
- Programmable maximum run time
- Ambient light setting function
- Gradual temperature change



Up to 500kPa





MP ★★★★★ 5.5 L/min
(when installed as basin mixer)

*Fixed flow rate only, i.e. no flow adjustment function. If you would like to control the flow rate for this product, simply purchase the Tate Digital Shower Mixer and pair it with the Tate Wall Mounted Spout or Tate Deck Mounted Spout.



1



DIGITAL



1 TATE DIGITAL DECK MOUNTED MIXER

- Available in chrome & PVD finishes
- Suitable for left or right-handed installation
- Supplied with a 100mm extension component for optional height increase
- 360° swivel spout
- LED lights indicate change in water temperature
- Three programmable memory settings for temperature and flow rate*
- Programmable maximum run time
- Ambient light setting function
- Gradual temperature change



Up to 500kPa



MP ★★★★★

6.0 L/min

(when installed as basin/sink mixer)

*Fixed flow rate only, i.e. no flow adjustment function. If you would like to control the flow rate for this product, simply purchase the Tate Digital Shower Mixer and pair it with the Tate Wall Mounted Spout or Tate Deck Mounted Spout.



CHROME
FD-TDMSMC



BRUSHED GOLD
FD-TDMSMBG



MATTE BLACK
FD-TDMSMMB



BRUSHED NICKEL
FD-TDMSMBN



BRUSHED GUNMETAL
FD-TDMSMG







MATTE BLACK GLOSS BLACK
FD-TDMSMMB-GB



BRUSHED BRONZE
FD-TDMSMBBZ

2





Best Design Awards
Winner 2020



1 TATE BASIN MIXER

- Available in chrome & PVD finishes
- 25mm quality European cartridge
- Designed in NZ

New Zealand Registered Design No. 426071, No. 426072 & No. 427630

EQUAL HIGH RAINFALL PRESSURE

MP

10 YEARS WARRANTY

LIFE TIME EXTENSION

5 YEARS LIMITED WARRANTY PRODUCT FINISH

WELS

MP ★★★★★

6.0 L/min

Except chrome Also available in 6 star WELS rating, please enquire for more information.



CHROME
TBMC



BRUSHED GOLD
TBMGB



MATTE BLACK
TBMMB



BRUSHED NICKEL
TBMNB



BRUSHED GUNMETAL
TBMGM



BRUSHED BRONZE
TBMBZ

NEW FINISH



MATTE BLACK GLOSS BLACK
TBMMB-GB



MATTE BLACK BRUSHED NICKEL
TBMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TBMMB-GM



MATTE BLACK BRUSHED GOLD
TBMMB-BG




BRUSHED NICKEL MATTE BLACK
TBMNB-MB



BRUSHED NICKEL BRUSHED GOLD
TBMNB-BG

► COLOUR CUSTOMISATION AVAILABLE PLEASE ENQUIRE FOR DETAILS.

1





2 TATE SINK MIXER

- Available in chrome & PVD finishes
- 25mm quality European cartridge
- 360° swivel spout
- Designed in NZ

New Zealand Registered Design No. 426071, No. 426072 & No. 427630



MP ★★★★★

6.5 L/min

Except chrome

Also available in 6 star WELS rating, please enquire for more information.



CHROME
TSMC



BRUSHED GOLD
TSMBG



MATTE BLACK
TSMMB



BRUSHED NICKEL
TSMBN



BRUSHED GUNMETAL
TSMGM



BRUSHED BRONZE
TSMBBZ

NEW FINISH



MATTE BLACK GLOSS BLACK
TSMMB-GB



MATTE BLACK BRUSHED NICKEL
TSMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TSMMB-GM



MATTE BLACK BRUSHED GOLD
TSMMB-BG




BRUSHED NICKEL MATTE BLACK
TSMBN-MB



BRUSHED NICKEL BRUSHED GOLD
TSMBN-BG

► COLOUR CUSTOMISATION AVAILABLE PLEASE ENQUIRE FOR DETAILS.

2





1 **TATE WALL MOUNTED BASIN/BATH MIXER**

- Available in chrome & PVD finishes
- 35mm quality European cartridge
- Suitable for left or right-handed installation
- Designed in NZ

New Zealand Registered Design No. 426071, No. 426072 & No. 427630



Up to 500kPa



Except chrome



MP ★★★★★ 7.0 L/min
(when installed as basin mixer)

Also available in 6 star WELS rating, please enquire for more information.



CHROME
TBFC



BRUSHED GOLD
TBFBG



MATTE BLACK
TBFMB



BRUSHED NICKEL
TBFBN



BRUSHED GUNMETAL
TBFGM



BRUSHED BRONZE
TBFBZ

NEW FINISH



MATTE BLACK GLOSS BLACK
TBFMB-GB



MATTE BLACK BRUSHED NICKEL
TBFMB-BN



MATTE BLACK BRUSHED GUNMETAL
TBFMB-GM



MATTE BLACK BRUSHED GOLD
TBFMB-BG




BRUSHED NICKEL MATTE BLACK
TBFBN-MB



BRUSHED NICKEL BRUSHED GOLD
TBFBN-BG

► **COLOUR CUSTOMISATION AVAILABLE PLEASE ENQUIRE FOR DETAILS.**

1





2 TATE DECK MOUNTED MIXER

- Available in chrome & PVD finishes
- 25mm quality European cartridge
- Can be used as basin, bath or sink mixer
- Supplied with a 100mm extension component for optional height increase
- 360° swivel spout
- Suitable for left or right-handed installation
- Designed in NZ

New Zealand Registered Design No. 426071, No. 426072 & No. 427630



MP ★★★★★ 6.5 L/min
(when installed as basin/sink mixer)

Except chrome

Also available in 6 star WELS rating, please enquire for more information.



NEW FINISH



CHROME
TDSMC



BRUSHED GOLD
TDSMBG



MATTE BLACK
TDSMMB



BRUSHED NICKEL
TDSMBN



BRUSHED GUNMETAL
TDSMG



BRUSHED BRONZE
TDSMBBZ



MATTE BLACK GLOSS BLACK
TDSMMB-GB



MATTE BLACK BRUSHED NICKEL
TDSMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TDSMMB-GM



MATTE BLACK BRUSHED GOLD
TDSMMB-BG




BRUSHED NICKEL MATTE BLACK
TDSMBN-MB



BRUSHED NICKEL BRUSHED GOLD
TDSMBN-BG

► COLOUR CUSTOMISATION AVAILABLE PLEASE ENQUIRE FOR DETAILS.

2





NEW

1 TATE DECK MOUNTED SPOUT

- Available in chrome & PVD finishes
- Can be used for basin, bath or sink
- Supplied with 100mm extension component for optional height increase
- 360° swivel spout
- G½ inch male thread inlet
- Designed in NZ



Except chrome



MP ★ ★
LP ★ ★ ★ ★ ★

10.5 L/min
6.0 L/min

Also available in 6 star WELS rating, please enquire for more information.



CHROME
TDMSC



BRUSHED GOLD
TDMSBG



MATTE BLACK
TDMSMB



BRUSHED NICKEL
TDMSBN



BRUSHED GUNMETAL
TDMSGM




BRUSHED BRONZE
TDMSBBZ



MATTE BLACK
GLOSS BLACK
TDMSMB-GB

► COLOUR CUSTOMISATION AVAILABLE PLEASE ENQUIRE FOR DETAILS.

1





1 TATE WALL MOUNTED SPOUT 1/2"

- Available in chrome & PVD finishes
- Designed in NZ



Except chrome



CHROME

TBSC



BRUSHED GOLD

TBSBG



MATTE BLACK

TBSMB



BRUSHED NICKEL

TBSBN



BRUSHED GUNMETAL

TBSGM



BRUSHED BRONZE

TBSBBZ




MATTE BLACK
GLOSS BLACK

TBSMB-GB

NEW FINISH

► COLOUR CUSTOMISATION AVAILABLE PLEASE ENQUIRE FOR DETAILS.

1





1 **TATE SHOWER MIXER**

- Available in chrome & PVD finishes
- 35mm quality European cartridge
- Designed & assembled in NZ

New Zealand Registered Design No. 426071, No. 426072 & No. 427630



Except chrome



CHROME
TCSMC



BRUSHED GOLD
TCSMBG



MATTE BLACK
TCSMMB



BRUSHED NICKEL
TCSMBN



BRUSHED GUNMETAL
TCSMGM



BRUSHED BRONZE
TCSMBBZ



MATTE BLACK GLOSS BLACK
TCSMMB-GB



MATTE BLACK BRUSHED NICKEL
TCSMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TCSMMB-GM



MATTE BLACK BRUSHED GOLD
TCSMMB-BG




BRUSHED NICKEL MATTE BLACK
TCSMBN-MB



BRUSHED NICKEL BRUSHED GOLD
TCSMBN-BG

► **COLOUR CUSTOMISATION AVAILABLE** PLEASE ENQUIRE FOR DETAILS.





2 TATE DIVERTER MIXER

- Available in chrome & PVD finishes
- 35mm quality European cartridge
- Switch between two water outlets
- Designed in NZ

New Zealand Registered Design No. 426071, No. 426072 & No. 427630



Up to 500kPa



Except chrome



CHROME
TDCSMC



BRUSHED GOLD
TDCSMBG



MATTE BLACK
TDCSMMB



BRUSHED NICKEL
TDCSMBN



BRUSHED GUNMETAL
TDCSMGM



BRUSHED BRONZE
TDCSMBBZ



MATTE BLACK GLOSS BLACK
TDCSMMB-GB



MATTE BLACK BRUSHED NICKEL
TDCSMMB-BN



MATTE BLACK BRUSHED GUNMETAL
TDCSMMB-GM



MATTE BLACK BRUSHED GOLD
TDCSMMB-BG




BRUSHED NICKEL MATTE BLACK
TDCSMBN-MB



BRUSHED NICKEL BRUSHED GOLD
TDCSMBN-BG

► COLOUR CUSTOMISATION AVAILABLE PLEASE ENQUIRE FOR DETAILS.

2



TATE AERLUX™ HANDPIECE

Introducing a luxurious shower handpiece, designed & made here in New Zealand.

Supplied with two Aerlux™ jets for mains pressure situations.

The Tate Aerlux™ handpiece encapsulates simplicity and versatility. Combined with innovative technologies, you can experience your most idyllic shower through unique spray options. With its timeless design and variety of luxury finishes, it's the perfect handpiece to complement any bathroom. The handpiece is supplied with two different Aerlux™ jets & a flow regulator, offering variety not only in the colour finishes available but with its spray options as well.

AERLUX™ TECHNOLOGY

Aerlux™ technology gives you the freedom to create your ideal shower through unique spray options. The Aerlux™ jet draws in air, adding volume to each water droplet, creating a softer more voluminous shower. With two jets to choose from you can transform your shower to suit your desires.


AERLUX™ JETS FOR MAINS PRESSURE:



Orange
For a softer shower



Purple
For a harder shower





NEW

1 TATE AERLUX™ HANDPIECE

- Available in chrome & PVD finishes
- Stainless steel, single function handpiece
- Supplied with Aerlux™ jets for mains pressure situations
- Designed and made in NZ



MP ★★★
LP ★★★

10.0 L/min
9.0 L/min



CHROME

HS0045



BRUSHED NICKEL

HS0046



BRUSHED GUNMETAL

HS0047



MATTE BLACK

HS0048



BRUSHED GOLD

HS0049



GLOSS BLACK

HS0050




BRUSHED BRONZE

HS0052

NEW FINISH

1





1 TATE AERLUX™ SINGLE SPRAY SLIDE SHOWER

- Available in chrome & PVD finishes
- Top entry adjustable wet rail
- Stainless steel, single function handpiece
- Supplied with Aerlux™ jets
- 870mm slide rail (max 820mm c-c)
- Hose connects to slide rail without a separate outlet to elbow
- 1.5m hose

EQUAL HIGH PRESSURE

MP

38mm² SHOWER APERTURE

5 YEARS WARRANTY

WELS

MP ★★

10.0 L/min

Also available in 6 star WELS rating, please enquire for more information.



CHROME
THSKCSRC



BRUSHED GOLD
THSKSRBG



MATTE BLACK
THSKSRMB



BRUSHED NICKEL
THSKSRBN



BRUSHED GUNMETAL
THSKSRGM



MATTE BLACK GLOSS BLACK
THSKSRMB-GB



BRUSHED BRONZE
THSKSRBBZ

NEW FINISH

1





NEW

1 TATE AERLUX™ CONVENTIONAL SLIDE RAIL

- Available in chrome & PVD finishes
- Stainless steel, single function handpiece
- Supplied with Aerlux™ jets
- 870mm slide rail (max 820mm c-c)
- 1.5m hose



MP ★★★

9.0 L/min

Also available in 6 star WELS rating, please enquire for more information.



CHROME

THDRC



BRUSHED GOLD

THDRBG



MATTE BLACK

THDRMB



BRUSHED NICKEL

THDRBN



BRUSHED GUNMETAL

THDRGM

MATTE BLACK
GLOSS BLACK

THDRMB-GB



BRUSHED BRONZE

THDRBBZ

NEW FINISH

1





NEW

1 TATE AERLUX™ SHOWER ROSE

- Available in chrome & PVD finishes
- Single function shower head
- Supplied with Aerlux™ jets for mains pressure situations
- G½ inch female thread arm



MP ★★
LP ★★

10.5 L/min
11.0 L/min

Also available in 6 star WELS rating, please enquire for more information.



CHROME

TSRC



BRUSHED GOLD

TSRBG



MATTE BLACK

TSRMB



BRUSHED NICKEL

TSRBN



BRUSHED GUNMETAL

TSRGM

MATTE BLACK
GLOSS BLACK

TSRMB-GB




BRUSHED BRONZE

TSRBBZ

NEW FINISH

1





NEW

1 TATE RAIN HEAD CEILING MOUNTED

- Available in chrome & PVD finishes
- Available in 180mm or 300mm vertical reach (from flange to outlet)
- 1/2 inch female inlet threaded arm



Min 70kPa



TATE RAIN HEAD
CEILING MOUNTED 180MM

MP ★ ★
LP ★ 10.5 L/min
12.5 L/min



TATE RAIN HEAD
CEILING MOUNTED 300MM

MP ★ ★
LP ★ ★ 10.5 L/min
10.5 L/min

Also available in 6 star WELS rating, please enquire for more information.



CHROME

TRHCMSC (180MM)
TRHCMC (300MM)



BRUSHED GOLD

TRHCMSBG (180MM)
TRHCMGB (300MM)



MATTE BLACK

TRHCMSMB (180MM)
TRHCMMB (300MM)



BRUSHED NICKEL

TRHCMSBN (180MM)
TRHCMBN (300MM)



BRUSHED GUNMETAL

TRHCMSGM (180MM)
TRHCMGM (300MM)




NEW FINISH

BRUSHED BRONZE

TRHCMSBBZ (180MM)
TRHCMBBZ (300MM)

1





NEW

1 TATE RAIN HEAD WALL MOUNTED 450MM

- Available in chrome & PVD finishes
- 450mm horizontal reach (from flange to outlet)
- G½ inch female inlet threaded arm



Min 70kPa



MP ★★
LP ★

10.5 L/min

14.5 L/min

Also available in 6 star WELS rating, please enquire for more information.



CHROME

TRHWMC



BRUSHED GOLD

TRHWMBG



MATTE BLACK

TRHWMMB



BRUSHED NICKEL

TRHWMBN



BRUSHED GUNMETAL

TRHWMGM




BRUSHED BRONZE

TRHWMBBZ

NEW FINISH

1





AXISS II

Functional, thoughtful and beautiful.

With its sleek and modern form inspired by organic curves,
Axiss II delivers a new level of usability and flexibility.

DIGITAL



1

AXISS SMARTFLOW®
DIGITAL SHOWER MIXER

FD-SFCSCMC

- Digital thermostatic shower mixer
- LED lights indicate change in water temperature
- Three programmable memory settings for temperature and flow rate
- Programmable maximum run time
- Ambient light setting function
- Gradual temperature change



2

AXISS SMARTVIEW®
DIGITAL SHOWER MIXER


FD-SVCSMC

- Digital thermostatic shower mixer
- LED screen display
- Select between two water outlets
- Water consumption indicator per litre
- LED lights indicate change in water temperature
- Three programmable memory settings for temperature and flow rate
- Programmable maximum run time
- Gradual temperature change




1

FD-SFCSCMC



2

FD-SVCSMC



DIGITAL

AXISS II



3

AXISS SMARTVIEW® DIGITAL BLACK PACK 03

FD-SVAXB03

Smartview® Digital Shower Mixer
+ Axiss Shower Column Back combo



MP ★ ★ ★ 7.5 L/min Rain head
MP ★ ★ ★ 8.0 L/min Handpiece



4

AXISS SMARTVIEW® DIGITAL BLACK PACK 04

FD-SVAXB04

Smartview® Digital Shower Mixer
+ Axiss II Slide Shower Black
+ Axiss Rain Head Black combo




MP ★ ★ ★ 7.5 L/min Rain head
MP ★ ★ 9.5 L/min Handpiece




3

FD-SVAXB03



4

FD-SVAXB04



DIGITAL



1 **AXISS SMARTFLOW®
DIGITAL PACK 02**

FD-SFAXC02
Smartflow® Digital Shower Mixer
+ Axiss II Slide Shower combo

WELS **MP ★★** 10.0 L/min

↓ ↓ ↓

EQUAL
HIGH
(MAINS)
PRESSURE

MP

54mm²

SHOWER
APERTURE

5

YEARS
WARRANTY

2 **AXISS SMARTFLOW®
DIGITAL PACK 03**

FD-SFAXC03
Smartflow® Digital Shower Mixer
+ Axiss Shower Column combo

WELS **MP ★★★** 7.5 L/min Rain head
MP ★★★ 8.0 L/min Handpiece

↓ ↓ ↓

EQUAL
HIGH
(MAINS)
PRESSURE

MP

89mm²

SHOWER
APERTURE

54mm²

SHOWER
APERTURE


5

YEARS
WARRANTY

RAIN HEAD HANDPIECE


1

FD-SFAXC02



2

FD-SFAXC03



DIGITAL

AXISS II



3

AXISS SMARTVIEW®
DIGITAL PACK 03

FD-SVAXC03

Smartview® Digital Shower Mixer
 + Axiss Shower Column combo



MP ★★★ 7.5 L/min Rain head

MP ★★★ 8.0 L/min Handpiece



RAIN HEAD

HANDPIECE

4

AXISS SMARTVIEW®
DIGITAL PACK 04

FD-SVAXC04

Smartview® Digital Shower Mixer
 + Axiss II Slide Shower
 + Axiss Rain Head combo



MP ★★★ 7.5 L/min Rain head

MP ★★ 10.0 L/min Handpiece




RAIN HEAD

HANDPIECE


3

FD-SVAXC03



4

FD-SVAXC04









1 **AXISS II BASIN MIXER BLACK**

AX2BMB

- Matte black finish
- 25mm quality European cartridge
- Designed in NZ

WELS **MP** ★★★★★ 7.0 L/min
LP ★★★★★ 5.0 L/min



2 **AXISS SINK MIXER BLACK**


AXSMB

- Matte black finish
- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ


WELS **MP** ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min



1
AX2BMB
.....



2
AXSMB
.....





NEW

1 AXISS II MAINS PRESSURE SHOWER MIXER BLACK

AX2CSMB

- Matte black finish
- Quality metal faceplate
- 35mm quality European cartridge
- Designed & assembled in NZ



NEW

2 AXISS II DIVERTER SHOWER MIXER BLACK

AX2FDCSMB

- Matte black finish
- Switch between two water outlets
- 35mm quality European cartridge
- Designed in NZ



3 AXISS II FUSION PLUS® SHOWER MIXER BLACK

AX2FSPCSMB


- Matte black finish
- Supplied with venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter

Patented New Zealand No. 605175




1

AX2CSMB




2

AX2FDCSMB



3

AX2FSPCSMB





1 **AXISS WALL MOUNTED BASIN/
BATH MIXER BLACK 40MM**

AXBFB

- Matte black finish
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ

WELS **MP** ★★★★★ 7.5 L/min
LP ★★★★★ 7.0 L/min
(when installed as basin mixer)



*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer



ALSO AVAILABLE FOR LEFT-HANDED INSTALLATION
PLEASE SPECIFY UPON ORDERING

NEW

3 **AXISS II WALL MOUNTED BASIN/BATH
MIXER BLACK 35MM**


AX2BFB

- Matte black finish
- 35mm quality European cartridge
- 174mm reach from wall to centre of outlet
- Pivoting aerator included
- Designed in NZ


WELS **MP** ★★★ 8.0 L/min
(when installed as basin mixer)




1
AXBFB




2
AXSBFB




3
AX2BFB



4
AX2SBFB





NEW

1 AXISS II BATH SPOUT 1/2" BLACK

AX2BSB

- Matte black finish
- 180mm reach from wall to centre of outlet
- G½ inch female threaded inlet
- Easy-fit installation
- Pivoting aerator included
- Designed in NZ



NEW

2 AXISS II SWIVEL BATH SPOUT 1/2" BLACK


AX2BSSB

- Matte black finish
- 220mm reach from wall to centre of outlet
- Features 180° swivel spout & pivoting aerator included
- Ideal for kids' safety in bath while maximising space
- G½ inch female thread inlet
- Easy-fit installation
- Designed in NZ




1

AX2BSB



2

AX2BSSB





1 AXISS RAIN HEAD CEILING MOUNTED BLACK

AXRHCMBSB (180mm)

AXRHCMB (300mm)

- Matte black finish
- Available in 180mm or 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

AXRHCMBSB (180mm)

WELS MP ★★★ 7.0 L/min
LP ★★ 11.0 L/min

AXRHCMB (300mm)

WELS MP ★★★ 7.5 L/min
LP ★★ 11.5 L/min




Min 35kPa

2 AXISS RAIN HEAD WALL MOUNTED BLACK

AXRHWMB (450mm)


- Matte black finish
- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread

WELS MP ★★★ 7.5 L/min
LP ★★ 12.0 L/min



Min 35kPa

1




AXRHCMBSB

AXRHCMB

2

AXRHWMB









1 **AXISS II BASIN MIXER**

AX2BMC

- 25mm quality European cartridge
- Designed in NZ

WELS **MP** ★★★★★ 7.0 L/min
LP ★★★★★ 5.0 L/min



2 **AXISS SINK MIXER**

AXSMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS **MP** ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min



3 **AXISS SINK MIXER BRUSHED NICKEL**

AXSMM


- PVD finish
- Low maintenance brushed nickel finish (resistant to water spots)
- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS **MP** ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min





1

AX2BMC





2

AXSMC



3

AXSMM





NEW

1 AXISS II MAINS PRESSURE SHOWER MIXER

AX2CSMC

- Quality metal faceplate
- 35mm quality European cartridge
- Designed & assembled in NZ



NEW

2 AXISS II DIVERTER SHOWER MIXER

AX2FDCSMC

- Switch between two water outlets
- 35mm quality European cartridge
- Designed in NZ

**3 AXISS II FUSION PLUS® SHOWER MIXER**

AX2FSPCSMC


- Supplied with venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter

Patented New Zealand No. 605175




1

AX2CSMC




2

AX2FDCSMC



3

AX2FSPCSMC





1 **AXISS WALL MOUNTED BASIN/
BATH MIXER 40MM**

AXBFC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ

WELS **MP** ★★★★★ 7.5 L/min
LP ★★★★★ 7.0 L/min
(when installed as basin mixer)



*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer

2 **AXISS WALL MOUNTED SWIVEL BASIN/
BATH MIXER 40MM**

AXSBFC

- 40mm quality European cartridge with anti-scald and flow limiter
- 180° swivel spout
- Designed in NZ

WELS **MP** ★★★★★ 7.5 L/min
LP ★★★★★ 6.5 L/min
(when installed as basin mixer)



*All pressures when installed as basin mixer
**Equal pressure only when installed as bath mixer



NEW

3 **AXISS II WALL MOUNTED BASIN/
BATH MIXER 35MM**

AX2BFC

- 35mm quality European cartridge
- 174mm reach from wall to centre of outlet
- Pivoting aerator included
- Designed in NZ

WELS **MP** ★★★ 8.0 L/min
(when installed as basin mixer)







NEW

4 **AXISS II WALL MOUNTED SWIVEL BASIN/
BATH MIXER 35MM**

AX2SBFC

- 35mm quality European cartridge
- 214mm reach from wall to centre of outlet
- Features 180° swivel spout & pivoting aerator included
- Ideal for kids' safety in bath while maximising space
- Designed in NZ

WELS **MP** ★★★★★ 7.5 L/min
(when installed as basin mixer)





NEW

1 AXISS II BATH SPOUT 1/2"

AX2BSC

- 180mm reach from wall to centre of outlet
- G½ inch female threaded inlet
- Easy-fit installation
- Pivoting aerator included
- Designed in NZ



NEW

2 AXISS II SWIVEL BATH SPOUT 1/2"


AX2BSSC

- 220mm reach from wall to centre of outlet
- Features 180° swivel spout & pivoting aerator included
- Ideal for kids' safety in bath while maximising space
- G½ inch female threaded inlet
- Easy-fit installation
- Designed in NZ




1

AX2BSC



2

AX2BSSC





**1 AXISS II SINGLE SPRAY
SLIDE SHOWER**

AX2HSKCSR

- Single function handpiece
- 730mm slide rail (685mm c-c)

WELS **MP** ★ ★ 10.0 L/min
LP ★ ★ 10.0 L/min



2 AXISS RAIN SHOWER COLUMN

AXRSCC

- Brass shower column with brackets
- Built in diverter to switch between rain head and handpiece
- Top entry shower column


WELS **MP** ★ ★ ★ 7.5 L/min Rain head
MP ★ ★ ★ 8.0 L/min Handpiece



RAIN HEAD HANDPIECE


1

AX2HSKCSR



2

AXRSCC





1 AXISS RAIN HEAD CEILING MOUNTED

AXRHCMSC (180mm)

AXRHCMC (300mm)

- Available in 180mm or 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

AXRHCMSC (180mm)

AXRHCMC (300mm)

 **MP** ★ ★ ★ 7.0 L/min
LP ★ ★ 11.0 L/min

 **MP** ★ ★ ★ 7.5 L/min
LP ★ ★ 11.5 L/min



Min 35kPa

2 AXISS RAIN HEAD WALL MOUNTED



AXRHWMC (450mm)

- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread

 **MP** ★ ★ ★ 7.5 L/min
LP ★ ★ 12.0 L/min



Min 35kPa





**Best Design Awards
Finalist 2018**



MAX

Minimalist with an organic twist, Max is a compact and versatile range.

Launched in 2018 to coincide with our 50th anniversary, the range is named after our company founder Max Davies. Usability and flexibility are paramount with the incorporation of swivel spouts and varying spout lengths. It is ideal for smaller bathrooms and kitchens where space is a premium.



1 MAX BASIN MIXER

MXBMC

- 25mm quality European cartridge
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 4.5 L/min



2 MAX SWIVEL BASIN MIXER

MXSBMC

- 25mm quality European cartridge
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 4.5 L/min



3 MAX TALL BASIN MIXER

MXTBMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 7.0 L/min







4 MAX SINK MIXER

MXSMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 7.5 L/min





1 MAX MAINS PRESSURE SHOWER MIXER

MXCSMC

- Quality metal faceplate
- 35mm quality European cartridge
- Designed and assembled in NZ



2 MAX DIVERTER SHOWER MIXER

MXDCSMC

- Switch between two water outlets
- 35mm quality European cartridge
- Designed and assembled in NZ



3 MAX FUSION PLUS® SHOWER MIXER

MXFSPSCMC


- Supplied with venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter

Patented New Zealand No. 605175




1

MXCSMC




2

MXDCSMC



3

MXFSPSCMC





*MEDIUM SPOUT SHOWN



*MEDIUM SPOUT SHOWN

1 MAX WALL MOUNTED SWIVEL BASIN/ BATH MIXER

MXSBFC-S | MXSBFC-M | MXSBFC-L

- Available in three different spout lengths – short, medium and long
- 180° swivel spout
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ

WELS MP ★★★★★ 7.5 L/min
LP ★★★★★ 7.0 L/min

(when installed as basin mixer)





*All pressures when installed as basin mixer


**Equal pressure only when installed as bath mixer

2 MAX SWIVEL BATH SPOUT

MXSBSC-S | MXSBSC-M | MXSBSC-L

- Available in three different spout lengths – short, medium and long
- 180° swivel spout
- ½ inch female thread & easy-fit installation
- Designed in NZ





3 MAX SINGLE SPRAY SLIDE SHOWER

MXHSKCSR

- Top entry inlet adjustable wet rail
- Single function handpiece
- 870mm slide rail (max 820mm c-c)
- Connects to slide rail without a separate outlet to elbow



MP ★ ★ ★
LP ★ ★ ★


8.0 L/min
6.0 L/min



3

MXHSKCSR

FEMALE INLET
G1/2" BSP





FELTON COLLECTION

Classic and minimalist tapware that can be paired with products from our ranges, or those already installed in your bathroom or kitchen.



1 06 SMALL SINK MIXER

06MSSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ



MP ★ ★ ★ ★
LP ★ ★ ★

6.5 L/min
8.5 L/min



2 06 SINK MIXER

06MSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ




MP ★ ★ ★ ★
LP ★ ★ ★

6.5 L/min
8.5 L/min




1

06MSSMC



2

06MSMC





1 BEX ALL PRESSURE PULL DOWN SINK MIXER

C-SMC01

- Pull down spring action
- Single spray function
- **Not for commercial use**



MP ★★★★★ 7.0 L/min
LP ★★★★★ 6.5 L/min



2 BEX ALL PRESSURE PULL DOWN SINK MIXER CHROME/MATTE BLACK

C-SMC02

- Pull down spring action
- Single spray function
- **Not for commercial use**




MP ★★★★★ 7.0 L/min
LP ★★★★★ 6.5 L/min




1

C-SMC01



2

C-SMC02





NEW

1

BEX ALL PRESSURE PULL DOWN SINK MIXER BRUSHED NICKEL/MATTE BLACK

C-SMC03

- Pull down spring action
- Single spray function
- 210mm reach
- **Not for commercial use**




MP ★★★★★
LP ★★★★★

7.0 L/min
6.5 L/min



1

C-SMC03





1

LUNA BATH FILLER FREE STANDING SPOUT

C-BFSC01

- Floor mounted
- Suitable for mounting on both concrete and wooden floors



2

LUNA BATH FILLER FREE STANDING SPOUT BLACK


C-BFSB01

- Floor mounted
- Matte black finish
- Suitable for mounting on both concrete and wooden floors




1

C-BFSC01



2

C-BFSB01





1 ELLA SHOWER ROSE 01

C-SHC01

- Single function shower head
- G ½ inch BSP female thread arm




MP ★ ★
LP ★ ★

10.0 L/min
9.5 L/min



1

C-SHC01





HALO

Minimalist forms with clean, elegant lines designed to complement the modern kitchen or bathroom.



1 HALO BASIN MIXER

HBMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 7.0 L/min



2 HALO SINK MIXER

HSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 6.5 L/min
LP ★★★ 8.5L/min



3 HALO SHOWER MIXER

HMCSMC Ø120mm regular faceplate
HMCSMCL Ø195mm large faceplate

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ



4 HALO FUSION PLUS® SHOWER MIXER

HFSPCSMC Ø150mm regular faceplate
HFSPCSMCL Ø195mm large faceplate


- Supplied with venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ

Patented New Zealand No. 605175




1

HBMC




2

HSMC




3

HMCSMC/ HMCSMCL



4

HFSPCSMC/ HFSPCSMCL



VISIT OUR NEW & IMPROVED WEBSITE

WWW.FELTON.CO.NZ



UN HALO BATH SPOUT


06BSC


- 1/2 inch female thread
- Designed in NZ



We recently launched our new and improved website with exciting features to make it easier to find what you're looking for.

- Mobile friendly navigation
- Easy online warranty form for plumbers
- 'Help Me Choose' feature
- Easy to print product technical sheets





1 HALO II SINGLE SPRAY SLIDE SHOWER

H2HSKCSRW (WHITE)
H2HSKCSRG (GUNMETAL)

- Single function handpiece
- Handpiece face available in two different colours - gunmetal and white
- 770mm slide rail (672mm c-c)

WELS MP ★★ 9.5 L/min
LP ★★ 7.5 L/min



2 HALO II RAIN SHOWER COLUMN

H2RSCC (TOP ENTRY)
HRSCC (BOTTOM ENTRY)

- Single function handpiece in gunmetal
- Top entry (H2RSCC) or bottom entry inlet (HRSCC) option available
- Brass shower column with brackets
- Built in diverter to switch between rain head and handpiece

H2RSCC
WELS MP ★★★ 7.5 L/min Rain head
MP ★★★ 7.5 L/min Handpiece


HRSCC
MP ★★★ 9.0L/min Rain head
MP ★★★ 9.0 L/min Handpiece




RAIN HEAD HANDPIECE

1


H2HSKCSRW/H2HSKCSRG



2



H2RSCC
TOP ENTRY INLET



HRSCC
BOTTOM ENTRY INLET



1 HALO RAIN HEAD CEILING MOUNTED

HRHCMSC (180mm)
HRHCMC (300mm)

- Available in 180mm or 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

WELS **MP** ★★★ 7.5 L/min
LP ★★ 11.5L/min



Min 70kPa

2 HALO RAIN HEAD WALL MOUNTED


HRHWMC (450mm)

- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread

WELS **MP** ★★★ 7.5 L/min
LP ★ 12.5L/min



Min 70kPa





U R B A N

The Urban range reflects the current trend for square and rectangular shapes. Sharp lines are balanced with soft edges for a timeless appeal.



1 URBAN II BASIN MIXER

U2BMC

- 35mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ



MP ★★★★★
LP ★★★★★

6.5 L/min
7.0 L/min



2 URBAN SHOWER MIXER

UFCSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



3 URBAN FUSION PLUS® SHOWER MIXER

UFSPSCMC

- Supplied with venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ

Patented New Zealand No. 605175



4 URBAN VERSADISC™ BATH SHOWER DIVERter MIXER


UVDSMC

- Includes two interchangeable sub-cartridges
- Full front of wall maintenance. Ideal for future mains pressure upgrade
- Quality metal faceplate & German made diverter headworks
- Switch between two water outlets
- Proprietary Felton F5 cartridge with anti-scald and flow limiter




1

U2BMC




2

UFCSMC




3

UFSPSCMC



4

UVDSMC





1 URBAN RAIN HEAD CEILING MOUNTED

URHCMSC (180mm)

URHCMC (300mm)

- Available in 180mm or 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

URHCMSC (180mm)



MP ★★★ 7.0 L/min
LP ★★★ 7.5 L/min

URHCMC (300mm)



MP ★★★ 7.5 L/min
LP ★★★ 7.5 L/min



Min 70kPa

2 URBAN RAIN HEAD WALL MOUNTED

URHWMC (450mm)

- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread




MP ★★★ 7.0 L/min
LP ★★★ 7.5 L/min




Min 70kPa

1



2

URHWMC



Q U E

Inspired by contemporary curves and soft square designs,
the Que range adds elegance to any bathroom.





1 QUE BASIN MIXER BLACK

QBMB

- Matte black finish
- 25mm quality European cartridge
- Designed in NZ



MP ★★★★★ 7.0 L/min
LP ★★★★★ 5.5 L/min



2 QUE II SINK MIXER BLACK

Q2SMB

- Matte black finish
- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ






MP ★★★★★ 7.0 L/min
LP ★★★★★ 6.5 L/min



3 QUE BATH SPOUT 1/2" BLACK

QBSB

- Matte black finish
- 1/2 inch female thread & easy-fit installation
- Designed in NZ





1 QUE SHOWER MIXER BLACK

QFCSMB

- Matte black finish
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 QUE FUSION PLUS® SHOWER MIXER BLACK

QFSPCSMB

- Supplied with venturi jets for unequal pressures
- Matte black finish
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton cartridge with anti-scald and flow limiter

Patented New Zealand No. 605175



3 QUE II SINGLE SPRAY SLIDE SHOWER BLACK

Q2HSKCSRB


- Single function handpiece
- 840mm slide rail (731mm c-c)
- 1.5m large bore EN1113 rated smooth hose

WELS MP ★★ 9.5 L/min
LP ★★ 9.5L/min




1

QFCSMB




2

QFSPCSMB



3

Q2HSKCSRB





1 QUE RAIN HEAD CEILING MOUNTED BLACK

QRHCMSB (180mm)

QRHCMB (300mm)

- Matte black finish
- Available in 180mm or 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

WELS MP ★★★ 7.5 L/min
LP ZERO STAR RATED



Min 70kPa

2 QUE RAIN HEAD WALL MOUNTED BLACK

QRHWMB (450mm)


- Matte black finish
- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread

WELS MP ★★★ 7.5 L/min
LP ZERO STAR RATED



Min 70kPa


1



QRHCMSB

QRHCMB

2





NEW

1 QUE BASIN MIXER BRUSHED NICKEL

QBMBN

- Brushed nickel PVD finish
- 25mm quality European cartridge
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 5.5 L/min



NEW

2 QUE II SINK MIXER BRUSHED NICKEL

Q2SMBN

- Brushed nickel PVD finish
- 35mm quality European cartridge
- 360° swivel spout
- Designed in NZ

WELS MP ★★★★★ 7.0 L/min
LP ★★★★★ 6.5 L/min



NEW

3 QUE BATH SPOUT 1/2" BRUSHED NICKEL


QBSBN

- Brushed nickel PVD finish
- 165mm reach from wall to centre of outlet
- G½ inch female thread inlet
- Easy-fit installation
- Designed in NZ




1

QBMBN




2

Q2SMBN



3

QBSBN





NEW

1 QUE SHOWER MIXER BRUSHED NICKEL

QFCSMBN

- Brushed nickel PVD finish
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



NEW

2 QUE FUSION PLUS® SHOWER MIXER BRUSHED NICKEL

QFSPCSMBN

- Brushed nickel PVD finish
- Supplied with venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ

Patented New Zealand No. 605175



NEW

3 QUE VERSADISC® DIVERTER BATH SHOWER MIXER BRUSHED NICKEL


QVDSMBN

- Brushed nickel PVD finish
- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ




1

QFCSMBN




2

QFSPCSMBN



3

QVDSMBN





NEW

1 **QUE II SINGLE SPRAY SLIDE SHOWER
BRUSHED NICKEL**

Q2HSKCSRBN

- Brushed nickel PVD finish
- Single function handpiece
- 840mm pivoting slide rail (731mm c-c)

WELS **MP** ★ ★ 10.0 L/min
LP ★ ★ 10.5 L/min

ALL PRESSURES

AP

54mm²

SHOWER APERTURE

5 YEARS WARRANTY

NEW

2 **QUE RAIN SHOWER COLUMN BRUSHED NICKEL**

QRSCBN

- Brushed nickel PVD finish
- Brass shower column with brackets
- Top section pivotable
- Built in diverter to switch between rain head and handpiece
- Top entry G1/2 inch female inlet

WELS **MP** ★ ★ 10.0 L/min Rain head
MP ★ ★ ★ 9.0 L/min Handpiece

EQUAL HIGH RAINING PRESSURE

MP

171mm²



SHOWER APERTURE

54mm²

SHOWER APERTURE

5 YEARS WARRANTY

RAIN HEAD HANDPIECE







1 QUE BASIN MIXER

QBMC

- 25mm quality European cartridge
- Designed in NZ



2 QUE II SINK MIXER

Q2SMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ




3 QUE BATH SPOUT 1/2"

QBSC


- ½ inch female thread
- Easy-fit installation
- Designed in NZ




QBMC



Q2SMC



QBS C





1 QUE SHOWER MIXER

QFCSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 QUE FUSION PLUS® SHOWER MIXER

QFSPCSMC

- Supplied with venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ

Patented New Zealand No. 605175



3 QUE VERSADISC® DIVERTER BATH SHOWER MIXER


QVDSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ




1

QFCSMC




2


QFSPCSMC



3

QVDSMC







1 QUE II SINGLE SPRAY SLIDE SHOWER

Q2HSKCSR

- Single function handpiece
- 840mm pivoting slide rail (731mm c-c)





2 QUE II RAIN SHOWER COLUMN

Q2RSCC (TOP ENTRY)

QRSCC (BOTTOM ENTRY)

- Brass shower column with brackets
- Top entry (Q2RSCC) or bottom entry inlet (QRSCC) option available
- Built in diverter to switch between rain head and handpiece





1 QUE RAIN HEAD CEILING MOUNTED

QRHCMSC (180mm)
QRHCMC (300mm)

- Available in 180mm or 300mm vertical reach (from flange to outlet)
- 1/2 inch female thread

2 QUE RAIN HEAD WALL MOUNTED

QRHWMC (450mm)

- 450mm horizontal reach (from flange to outlet)
- 1/2 inch female thread

WELS **MP** ★ ★ ★ 7.5 L/min
LP ZERO STAR RATED





Min 70kPa

WELS **MP** ★ ★ ★ 7.5 L/min
LP ZERO STAR RATED



Min 70kPa





J A Z

With its soft silhouette, the Jaz range embodies an effortlessly contemporary look for the kitchen or bathroom.



1 JAZ BASIN MIXER

JBMC

- 35mm quality European cartridge with anti-scald and flow limiter
- Designed in NZ



MP ★ ★ ★ 8.0 L/min
LP ★ ★ ★ ★ 6.5 L/min



2 JAZ SWIVEL BASIN MIXER

JSBMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ



MP ★ ★ ★ ★ 7.5 L/min
LP ★ ★ ★ ★ 7.5 L/min



3 JAZ SINK MIXER

JSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ




MP ★ ★ ★ 8.0 L/min
LP ★ ★ ★ ★ 6.5 L/min




1

JBMC




2

JSBMC



3

JSMC





1 JAZ MAINS PRESSURE SHOWER MIXER

JCSMC

- 35mm quality European cartridge
- Designed & assembled in NZ



2 JAZ MAINS PRESSURE DIVERTER MIXER

JDCSMC

- Switch between two outlets
- 35mm quality European cartridge with anti-scald and flow limiter



3 JAZ FUSION PLUS® SHOWER MIXER 150MM

JFSPCSMC

- Supplied with venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton cartridge with anti-scald and flow limiter
- Designed & assembled in NZ

Patented New Zealand No. 605175



4 JAZ FUSION PLUS® SHOWER MIXER 195MM

JFSPCSMCL


- Supplied with venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton cartridge with anti-scald and flow limiter
- Designed & assembled in NZ

Patented New Zealand No. 605175




1

JCSMC




2

JDCSMC




3

JFSPCSMC



4

JFSPCSMCL





1 JAZ BATH SPOUT 1/2"

JBSC

- 1/2 inch female thread
- Easy-fit installation
- Pivoting straightener included
- Designed & assembled in NZ

2 JAZ SINGLE SPRAY SLIDE SHOWER

JHSKCSR


- Single function handpiece
- 700mm slide rail (590mm c-c)
- 1.5m large bore EN1113 rated metal hose

WELS MP ★★ 10.0 L/min
LP ★★ 11.0 L/min




1

JBSC



2

JHSKCSR





S L I Q U E

The Slique range embodies a soft square aesthetic with a refined and contemporary twist on the classic look.



1 SLIQUE BASIN MIXER

SBMC

- 25mm quality European cartridge

WELS MP ★★★★★ 6.5 L/min
LP ★★★★★ 5.5 L/min



2 SLIQUE TALL BASIN MIXER

STBMC

- 25mm quality European cartridge
- Designed in NZ

WELS MP ★★★★★ 6.5 L/min
LP ★★★★★ 5.0 L/min



3 SLIQUE SINK MIXER

SSMC

- 35mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout
- Designed in NZ





WELS MP ★★★ 8.0 L/min
LP ★★★★★ 6.5 L/min



4 SLIQUE BATH SPOUT

SBSC

- ½ inch female thread
- Easy-fit installation
- Designed in NZ





1 SLIQUE SHOWER MIXER

SFCSMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



2 SLIQUE FUSION PLUS® SHOWER MIXER

SFSPSCMC

- Supplied with venturi jets for unequal pressures
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Quality metal faceplate
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ

Patented New Zealand No. 605175



3 SLIQUE DIVERTER MIXER

SDCSMC

- 35mm quality European cartridge with anti-scald and flow limiter
- Switch between two water outlets



4 SLIQUE WALL MOUNTED BASIN/BATH MIXER

SBFC

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed and assembled in NZ



MP ★★★★★ 7.0 L/min
LP ★★★★★ 7.0 L/min




*All pressures when installed as basin mixer

**Equal pressure only when installed as bath mixer

1 SFCSMC




2 SFSPSCMC




3 SDCSMC



4 SBFC



4 SBFC





ODYSSEY

Affordable, yet without compromise on quality, Odyssey is a classic style with an emphasis on flowing curves and organic shapes.



1 ODYSSEY BASIN MIXER 35MM

OCBM

- 35mm quality European cartridge with anti-scald and flow limiter



MP ★★★★★ 6.5 L/min
LP ★★★★★ 7.5 L/min



2 ODYSSEY BASIN MIXER 40MM

OCBM2

- 40mm quality European cartridge with anti-scald and flow limiter



MP ★★★★★ 7.5 L/min
LP ★★★★★ 8.5 L/min



3 ODYSSEY SWIVEL BASIN MIXER

OSBMC

- 40mm quality European cartridge
- 360° swivel spout
- Designed in NZ



MP ★★★★★ 7.0 L/min
LP ★★★★★ 9.0 L/min



4 ODYSSEY SINK MIXER 40MM

OSM2

- 40mm quality European cartridge with anti-scald and flow limiter
- 360° swivel spout




MP ★★★★★ 7.0 L/min
LP ★★★★★ 9.0 L/min




1

OCBM




2

OCBM2




3

OSBMC



4

OSM2





1 **ODYSSEY SHOWER MIXER**

OCSMC Ø120mm regular faceplate
OCSMCL Ø195mm large faceplate

- 40mm quality European cartridge with anti-scald and flow limiter
- Designed & assembled in NZ



2 **ODYSSEY FUSION PLUS® SHOWER MIXER**

OFSPCSMC Ø150mm regular faceplate
OFSPCSMCL Ø195mm large faceplate

- Supplied with venturi jets for unequal pressure
- Full front of wall maintenance - ideal for future mains pressure upgrade
- Proprietary Felton F5 cartridge with anti-scald and flow limiter
- Designed and assembled in NZ




Patented New Zealand No. 605175



3 **ODYSSEY BATH SPOUT 3/4"**

OBSC

- 155mm reach from wall to centre of outlet
- 3/4 inch female thread





1

ODYSSEY II SINGLE SPRAY SLIDE SHOWER

O2CHSKCSR

- Single function handpiece
- 690mm adjustable slide rail (max 655mm c-c)
- 1.5m large bore EN1113 rated metal hose



MP ★ ★
LP ★

10.5 L/min
13.0 L/min



2

ODYSSEY II HAND SHOWER KIT

O2HSKC

- Single function handpiece
- Easy DIY conversion to fit onto an existing Feltonmix® wallset by replacing existing shower head with elbow supplied
- Chrome wall bracket
- 1.5m large bore EN1113 rated metal hose




MP ★ ★
LP ★

10.5 L/min
13.0 L/min



1

O2CHSKCSR



2

O2HSKC





CITY

The City range of classic kitchen, bathroom and laundry taps are manufactured from DZR brass and fitted with quality German headworks for superior performance and durability.



1 CITY BASIN TAP (PAIR)

CBSTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ

WELS MP ZERO STAR RATED 61.0 L/min
LP ★ 15.5 L/min



2 CITY SINK TAP 15MM

CSTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ

WELS MP ZERO STAR RATED 61.0 L/min
LP ★ 15.5 L/min



3 CITY BATH TAP 20MM

CBTC





- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ



4 CITY LAUNDRY COMBINATION

CLCTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ





1 CITY WASHING MACHINE TAPS

CLSC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ



2 CITY TUB TAP

CTTC

- Designed to provide maximum flow
- German headworks
- Manufactured from DZR brass
- Designed in NZ



MP ZERO STAR RATED 61.0 L/min
LP ★ 15.5 L/min






3 CITY WALL MOUNTED SINK FAUCET

CWMSTC

- German made headworks
- Manufactured from DZR brass
- Designed in NZ



MP ZERO STAR RATED 44.0 L/min
LP ★ 15.5 L/min





FELTON CARE

The Felton Care Range is classic and practical with its extended lever handle that offers ease of use, greater temperature control and smooth operation for a more controlled water flow rate.



1 FELTON CARE SINK MIXER

FCSMC

- 40mm quality European cartridge
- Designed in NZ
- Watermark certified



MP ★★★★★
LP ★★★

7.0 L/min
9.0 L/min



2 FELTON CARE BASIN MIXER

FCBMC

- 40mm quality European cartridge with anti-scald and flow limiter
- Watermark certified
- Designed in NZ



MP ★★★★★
LP ★★

7.0 L/min
9.5 L/min



3 FELTON CARE SHOWER MIXER

FCCSMC


- 40mm quality European cartridge with anti-scald and flow limiter
- Watermark certified
- Designed and assembled in NZ



N.B. Larger faceplate option available on request


1

FCSMC




2

FCBMC



3

FCCSMC





DESIGNER

The Designer range centres around the Feltonmix® shower mixer, the first shower mixer to successfully apply the Venturi principle to mix hot and cold water supplied at different pressures. Trusted by New Zealand plumbers and homeowners for more than 50 years, the Feltonmix® continues to prove its reliability and performance time and time again.



Mixing valve not included



Mixing valve not included

1 DESIGNER III FELTONMIX® WALLSET WHITE

D3WSW

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures



MP ★★★
LP ★★★

8.0 L/min
9.0 L/min



2 DESIGNER III FELTONMIX® WALLSET CHROME GREY

D3WSCG

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures



MP ★★★
LP ★★★

8.0 L/min
9.0 L/min

Unequal pressure
mixing valve includedEqual high pressure
mixing valve included

3 DESIGNER III FELTONMIX® TRADE COMBO UNEQUAL PRESSURE WHITE

D3SCUW

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures



LP ★★★

9.0 L/min



4 DESIGNER III FELTONMIX® TRADE COMBO EQUAL HIGH PRESSURE CHROME GREY




D3SCHG

- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage
- Engineered to suit New Zealand water pressures



MP ★★★

8.0 L/min





Mixing valve not included

1 **DESIGNER II FELTONMIX®
WALLSET CHROME**

CWSD2

- Designed and made in NZ

WELS **MP** ★★★ **7.5 L/min**
LP ★★ **12.0 L/min**



Mixing valve not included

2 **DESIGNER II FELTONMIX®
WALLSET WHITE**

WWSD2

- Designed and made in NZ

WELS **MP** ★★★ **7.5 L/min**
LP ★★ **12.0 L/min**



Mixing valve included

3 **DESIGNER SURFACE
MOUNT PACK**

WSMP

- Designed for mounting onto a solid concrete or block wall
- Can also be used to convert from a bath situation, where an integral caddy is not required. Feltonmix® wallset and mixing valve included - please specify pressure valve type on order

WELS **MP** ★★★ **7.5 L/min**
LP ★★ **12.0 L/min**




NB: Not to be fitted into Feltonmix® Mixing Valve

4 **DESIGNER III SHOWER HEAD
CHROME GREY DELUXE**


D3SHCGD

- Quality brass arm
- Limescale resistant rubber nozzles for anti clogging and build-up
- Extra wide spray for maximum comfort and coverage


WELS **MP** ★★★ **7.0 L/min**
LP ★★★ **9.0 L/min**




1 CWSD2




2 WWSD2



3 WSMP



4 D3SHCGD





1 DESIGNER '86 FELTONMIX® MIXING VALVE EQUAL HIGH PRESSURE (PINK)

FMH

- Designed and made in NZ
- Engineered to suit New Zealand water pressures



2 DESIGNER '86 FELTONMIX® MIXING VALVE UNEQUAL PRESSURE (BLUE)

FMU

- Designed and made in NZ
- Engineered to suit New Zealand water pressures



3 DESIGNER '86 FELTONMIX® MIXING VALVE EQUAL LOW PRESSURE (GREEN)

FME

- Designed and made in NZ
- Engineered to suit New Zealand water pressures



mixing valve included



4 DESIGNER REGAL OVER THE BATH SHOWER UNIT





RW

- Designed to convert an existing bath into a bath/shower. Attaches to existing taps without an expensive installation, requires only the simplest of tools.
- Mixing valve included, taps not included
- Incorporates a roomy shower caddy. Adaptor cover & bush included



MP ★★★
LP ★★

7.5 L/min
12.0 L/min





1 **DESIGNER II SHOWER HEAD CHROME**

CSHD2

- Designed and made in NZ

 **MP** ★★★
LP ★★

7.5 L/min
12.0 L/min



2 **'86 SHOWER HEAD WHITE**

WSH

- Designed and made in NZ

 **MP** ★★★
LP ★

7.0 L/min
14.0 L/min







3 **DESIGNER II SHOWER HEAD WHITE**

WSHD2

- Designed and made in NZ

 **MP** ★★★
LP ★★

7.5 L/min
12.0 L/min



4 **VARIABLE SHOWER HEAD WHITE**





WSHV

- Designed and made in NZ

 **MP** ★★★
LP ★★

7.0 L/min
11.0 L/min





mixing valve included



1 DESIGNER II SINGLE SPRAY SLIDE SHOWER

D2HSKCSR

- Single function handpiece
- Easy DIY conversion to fit onto an existing Feltonmix® wallset by replacing existing shower head with elbow supplied
- 690mm adjustable slide rail (max 655mm c-c)
- 1.5m large bore EN1113 rated metal hose



MP ★★
LP ★★★

9.5 L/min
7.5 L/min



2 DESIGNER II FLEXISHOWER CHROME

D2FSCCSR

- Single function handpiece
- Feltonmix® wallset and mixing valve included - please specify pressure valve type on order
- 690mm adjustable slide rail (max 655mm c-c)
- 1.5m large bore EN1113 rated metal hose




MP ★★
LP ★★★

9.5 L/min
7.5 L/min




1

D2HSKCSR



2

D2FSCCSR





OXIJET®

WATER SAVING TECHNOLOGY

WATER SAVING TECHNOLOGY


OXIJET®

FELTON OXIJET®


The Oxijet® works by jetting the water through 4 tiny nozzles, and sucking air into the stem of the shower rose. The air volumises and pressurises the water, creating tiny air bubbles within the water stream that burst when they touch your skin. In many mains pressure situations the Oxijet® will pay for itself in water and energy savings, and help you do your part to preserve our beautiful planet.

**BEST DESIGN AWARDS
FINALIST 2013**
SUSTAINABLE PRODUCT DESIGN


Best.



YELLOW
TO FIT A SHOWER HANDPIECE
TP0114



PINK
TO FIT A FEMALE FIXED ROSE
TP0115



BLUE
TO FIT A MALE FIXED ROSE
TP0116



Homes with equal low or unequal pressures may not benefit as much from water saving products as they already have low flows. This product is not intended for multi-function handpieces or showerheads where there is built-in restriction that cannot be removed. If you're unsure of whether this product is suitable for your situation, give us a ring on 0800 743 358 and we will be happy to assist you.

MAINS PRESSURE

NO.	DIMENSIONS	Water Efficiency (WELS Star Rating)	Water Consumption (Flow rate in litres per min)
1.	W23 x H27.9	★★★★	8.5
2.	W23 x H25.5	★★★★	8.5
3.	W23 x H29.5	★★★★	8.5

C A T E G O R I E S

Products at a glance

Whether in a low, high or unequal pressure environment, Felton's extensive range includes the iconic Feltonmix® mixer, the award winning Fusion Plus® full front-of-wall maintenance technology. Fancy a low water bill? Have a look at the patented Oxijet® water saving product for a water efficient yet luxurious experience.

From the classic look and feel of the Odyssey range to the innovation and functionality of the Axiss & Tate ranges, we've got the perfect option for your lifestyle and decor.



Kitchen & Laundry

SINK MIXERS



TATE DIGITAL DECK MOUNTED MIXER

AVAILABLE IN 7 FINISHES

MAINS PRESSURE

PG 18



TATE SINK MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 21



TATE DECK MOUNTED MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 23



AXISS SINK MIXER BLACK

AXSMB

ALL PRESSURES

PG 44



AXISS SINK MIXER

AXSMC

ALL PRESSURES

PG 52



AXISS SINK MIXER BRUSHED NICKEL

AXSMM

ALL PRESSURES

PG 52



MAX SINK MIXER

MXSMC

ALL PRESSURES

PG 60



06 SMALL SINK MIXER

06MSSMC

ALL PRESSURES

PG 65



06 SINK MIXER

06MSMC

ALL PRESSURES

PG 65



BEX ALL PRESSURE PULL DOWN SINK MIXER

C-SMC01

ALL PRESSURES

PG 66
NOT FOR COMMERCIAL USE



BEX ALL PRESSURE PULL DOWN SINK MIXER CHROME/MATTE BLACK

C-SMC02

ALL PRESSURES

PG 66
NOT FOR COMMERCIAL USE



BEX ALL PRESSURE PULL DOWN SINK MIXER BRUSHED NICKEL/MATTE BLACK

C-SMC03

ALL PRESSURES

PG 67
NOT FOR COMMERCIAL USE



HALO SINK MIXER

HSMC

ALL PRESSURES

PG 72



QUE II SINK MIXER BLACK

Q2SMB

ALL PRESSURES

PG 81



QUE II SINK MIXER BRUSHED NICKEL

Q2SMBN

ALL PRESSURES

PG 84



QUE II SINK MIXER

Q2SMC

ALL PRESSURES

PG 88



JAZ SINK MIXER

JSMC

ALL PRESSURES

PG 93



SLIQUE SINK MIXER

SSMC

ALL PRESSURES

PG 98



ODYSSEY SINK MIXER 40MM

OSM2

ALL PRESSURES

PG 101



FELTON CARE SINK MIXER

FCSMC

ALL PRESSURES

PG 109

Kitchen & Laundry

SINK TAPS



CITY WALL MOUNTED SINK FAUCET
CWMSTC

ALL PRESSURES
PG 107



CITY SINK TAP 15MM
CSTC

ALL PRESSURES
PG 106

BATH TAPS / BASIN TAPS



CITY BATH TAP 20MM
CBTC

ALL PRESSURES
PG 106



CITY BASIN TAP
CBSTC

ALL PRESSURES
PG 106

LAUNDRY TAPS



CITY LAUNDRY COMBINATION
CLCTC

ALL PRESSURES
PG 106



CITY WASHING MACHINE TAPS
CLSC

ALL PRESSURES
PG 107



CITY TUB TAP
CTTC

ALL PRESSURES
PG 107

Bathroom

BASIN MIXERS



TATE BASIN MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 20



TATE DECK MOUNTED MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 23



AXISS II BASIN MIXER BLACK

AX2BMB

ALL PRESSURES

PG 44



AXISS II BASIN MIXER

AX2BMC

ALL PRESSURES

PG 52



MAX BASIN MIXER

MXBMC

ALL PRESSURES

PG 60



MAX SWIVEL BASIN MIXER

MXSBMC

ALL PRESSURES

PG 60



MAX TALL BASIN MIXER

MXTBMC

ALL PRESSURES

PG 60



HALO BASIN MIXER

HBMC

ALL PRESSURES

PG 72



URBAN II BASIN MIXER

U2BMC

ALL PRESSURES

PG 77



QUE BASIN MIXER BLACK

QBMB

ALL PRESSURES

PG 81



QUE BASIN MIXER
BRUSHED NICKEL

QBMBN

ALL PRESSURES

PG 84



QUE BASIN MIXER

QBMC

ALL PRESSURES

PG 88



JAZ BASIN MIXER

JBMC

ALL PRESSURES

PG 93



JAZ SWIVEL BASIN MIXER

JSBMC

ALL PRESSURES

PG 93



SLIQUE BASIN MIXER

SBMC

ALL PRESSURES

PG 98



SLIQUE TALL BASIN MIXER

STBMC

ALL PRESSURES

PG 98



ODYSSEY BASIN MIXER 35MM

OCBM

ALL PRESSURES

PG 101



ODYSSEY BASIN MIXER 40MM

OCBM2

ALL PRESSURES

PG 101



ODYSSEY SWIVEL BASIN MIXER

OSBMC

ALL PRESSURES

PG 101



FELTON CARE BASIN MIXER

FCBMC

ALL PRESSURES






PG 109






Bathroom





DIGITAL SHOWER MIXERS

			
TATE SMARTFLOW® DIGITAL SHOWER MIXER	AXISS SMARTFLOW® DIGITAL SHOWER MIXER	AXISS SMARTVIEW® DIGITAL SHOWER MIXER	AXISS SMARTVIEW® DIGITAL SHOWER MIXER
AVAILABLE IN 7 FINISHES	FD-SFCSMC	FD-SVCSMC (WHITE)	FD-SVCSMC (BLACK)
MAINS PRESSURE	MAINS PRESSURE	MAINS PRESSURE	MAINS PRESSURE
PG 16	PG 38	PG 38	PG 38

FUSION PLUS® ALL PRESSURES SHOWER MIXERS

				
AXISS II FUSION PLUS® SHOWER MIXER BLACK	AXISS II FUSION PLUS® SHOWER MIXER	MAX FUSION PLUS® SHOWER MIXER	HALO FUSION PLUS® SHOWER MIXER 150MM	HALO FUSION PLUS® SHOWER MIXER 195MM
AX2FSPCSMB	AX2FSPCSMC	MXFSPCSMC	HFSPCSMC	HFSPCSMCL
ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES
PG 45	PG 53	PG 61	PG 72	PG 72

				
URBAN FUSION PLUS® SHOWER MIXER	QUE FUSION PLUS® SHOWER MIXER BLACK	QUE FUSION PLUS® SHOWER MIXER BRUSHED NICKEL	QUE FUSION PLUS® SHOWER MIXER	JAZ FUSION PLUS® SHOWER MIXER 150MM
UFSPCSMC	QFSPCSMB	QFSPCSMBN	QFSPCSMC	JFSPCSMC
ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES
PG 77	PG 82	PG 85	PG 89	PG 94

			
JAZ FUSION PLUS® SHOWER MIXER 195MM	SLIQUE FUSION PLUS® SHOWER MIXER	ODYSSEY FUSION PLUS® SHOWER MIXER 120MM	ODYSSEY FUSION PLUS® SHOWER MIXER 195MM
JFSPCSMCL	SFSPCSMC	OFSPCSMC	OFSPCSMCL
ALL PRESSURES	ALL PRESSURES	ALL PRESSURES	ALL PRESSURES
PG 94	PG 99	PG 102	PG 102

Bathroom

SHOWER MIXERS



TATE MAINS PRESSURE
SHOWER MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 26



AXISS II MAINS PRESSURE
SHOWER MIXER BLACK

AX2CSMB

MAINS PRESSURE

PG 45



AXISS II MAINS PRESSURE
SHOWER MIXER

AX2CSMC

MAINS PRESSURE

PG 53



MAX MAINS PRESSURE
SHOWER MIXER

MXCSMC

MAINS PRESSURE

PG 61



JAZ MAINS PRESSURE
SHOWER MIXER

JCSMC

MAINS PRESSURE

PG 94



HALO SHOWER MIXER 120MM

HMCSMC

MAINS/EQUAL LOW PRESSURE

PG 72



HALO SHOWER MIXER 195MM

HMCSMCL

MAINS/EQUAL LOW PRESSURE

PG 72



URBAN SHOWER MIXER

UFCSMC

MAINS/EQUAL LOW PRESSURE

PG 77



QUE SHOWER MIXER BLACK

QFCSMB

MAINS/EQUAL LOW PRESSURE

PG 82



QUE SHOWER MIXER BRUSHED
NICKEL

QFCSMBN

MAINS/EQUAL LOW PRESSURE

PG 85



QUE SHOWER MIXER

QFCSMC

MAINS/EQUAL LOW PRESSURE

PG 89



SLIQUE SHOWER MIXER

SFCSMC

MAINS/EQUAL LOW PRESSURE

PG 99



ODYSSEY SHOWER MIXER
120MM

OCSMC

MAINS/EQUAL LOW PRESSURE

PG 102



ODYSSEY SHOWER MIXER
195MM

OCSMCL

MAINS/EQUAL LOW PRESSURE

PG 102



FELTON CARE SHOWER MIXER
120MM

FCCSMC

MAINS/EQUAL LOW PRESSURE

PG 109

Bathroom

DIVERTER SHOWER MIXERS



TATE DIVERTER MIXER

AVAILABLE IN 12 FINISHES

MAINS PRESSURE

PG 27



AXISS II DIVERTER SHOWER MIXER BLACK

AX2FDCSMB

MAINS PRESSURE

PG 45



AXISS II DIVERTER SHOWER MIXER

AX2FDCSMC

MAINS PRESSURE

PG 53



MAX MAINS PRESSURE DIVERTER MIXER

MXDCSMC

MAINS PRESSURE

PG 61



URBAN VERSADISC® BATH SHOWER DIVERTER MIXER

UVDSMC

ALL PRESSURES

PG 77



QUE VERSADISC® BATH SHOWER DIVERTER MIXER BRUSHED NICKEL

QVDSMBN

ALL PRESSURES

PG 85



QUE VERSADISC® BATH SHOWER DIVERTER MIXER

QVDSMC

ALL PRESSURES

PG 89



JAZ MAINS PRESSURE DIVERTER MIXER

JDCSMC

MAINS PRESSURE

PG 94



SLIQUE MAINS PRESSURE DIVERTER MIXER

SDCSMC

MAINS PRESSURE

PG 99

WALL MOUNTED BASIN/BATH MIXERS



TATE DIGITAL WALL MOUNTED MIXER
AVAILABLE IN 7 FINISHES
MAINS PRESSURE

PG 17



TATE WALL MOUNTED BASIN/BATH MIXER
AVAILABLE IN 12 FINISHES
MAINS PRESSURE

PG 22



AXISS WALL MOUNTED BASIN/BATH MIXER BLACK 40MM
AXBFB
ALL PRESSURES

PG 46



AXISS WALL MOUNTED SWIVEL BASIN/BATH MIXER BLACK 40MM
AXSBFB
ALL PRESSURES

PG 46



AXISS II WALL MOUNTED BASIN/BATH MIXER BLACK 35MM
AX2BFB
MAINS PRESSURE

PG 46



AXISS II SWIVEL WALL MOUNTED BASIN/BATH MIXER BLACK 35MM
AX2SBFB
MAINS PRESSURE

PG 46



AXISS WALL MOUNTED BASIN/BATH MIXER 40MM
AXBFC
ALL PRESSURES

PG 54



AXISS WALL MOUNTED SWIVEL BASIN/BATH MIXER 40MM
AXSBFC
ALL PRESSURES

PG 54



AXISS II WALL MOUNTED BASIN/BATH MIXER 35MM
AX2BFC
MAINS PRESSURE

PG 54



AXISS II SWIVEL WALL MOUNTED SWIVEL BASIN/BATH MIXER 35MM
AX2SBFC
MAINS PRESSURE

PG 54



MAX WALL MOUNTED SWIVEL BASIN/BATH MIXER SHORT
MXSBFC-S
ALL PRESSURES

PG 62



MAX WALL MOUNTED SWIVEL BASIN/BATH MIXER MEDIUM
MXSBFC-M
ALL PRESSURES

PG 62



MAX WALL MOUNTED SWIVEL BASIN/BATH MIXER LONG
MXSBFC-L
ALL PRESSURES

PG 62



SLIQUE WALL MOUNTED BASIN/BATH MIXER
SBFC
ALL PRESSURES

PG 99

Bathroom

BATH SPOUTS/BATH FILLERS



TATE DECK MOUNTED SPOUT
AVAILABLE IN 7 FINISHES
ALL PRESSURES
PG 24



TATE WALL MOUNTED SPOUT 1/2"
AVAILABLE IN 7 FINISHES
ALL PRESSURES
PG 25



AXISS II BATH SPOUT 1/2" BLACK
AX2B5B
ALL PRESSURES
PG 47



AXISS II SWIVEL BATH SPOUT 1/2" BLACK
AX2B5SB
ALL PRESSURES
PG 47



AXISS II BATH SPOUT 1/2"
AX2BSC
ALL PRESSURES
PG 55



AXISS II SWIVEL BATH SPOUT 1/2"
AX2B5SC
ALL PRESSURES
PG 55



MAX SWIVEL BATH SPOUT 187MM SHORT
MXSBSC-S
ALL PRESSURES
PG 62



MAX SWIVEL BATH SPOUT 222MM MEDIUM
MXSBSC-M
ALL PRESSURES
PG 62



MAX SWIVEL BATH SPOUT 267MM LONG
MXSBSC-L
ALL PRESSURES
PG 62



HALO BATH SPOUT
06BSC
ALL PRESSURES
PG 73



URBAN BATH SPOUT 1/2"
UBSC
ALL PRESSURES
PG 78



QUE BATH SPOUT 1/2" BLACK
QBSB
ALL PRESSURES
PG 81



QUE BATH SPOUT 1/2" BRUSHED NICKEL
QBSBN
ALL PRESSURES
PG 84



QUE BATH SPOUT 1/2"
QBSC
ALL PRESSURES
PG 88



JAZ BATH SPOUT 1/2"
JBSC
ALL PRESSURES
PG 95



SLIQUE BATH SPOUT 1/2"
SBSC
ALL PRESSURES
PG 98



ODYSSEY BATH SPOUT 3/4"
OBSC
ALL PRESSURES
PG 102



LUNA BATH FILLER FREE STANDING SPOUT
C-BFSC01
ALL PRESSURES
PG 68



LUNA BATH FILLER FREE STANDING SPOUT BLACK
C-BFSB01
ALL PRESSURES
PG 68

Bathroom

FELTONMIX® SHOWERS



DESIGNER III FELTONMIX®
WALLSET WHITE

D3WSW

ALL PRESSURES

PG 111



DESIGNER III FELTONMIX®
WALLSET CHROME GREY

D3WSCG

ALL PRESSURES

PG 111



Unequal pressure
mixing valve included

DESIGNER III FELTONMIX®
TRADE COMBO UNEQUAL
PRESSURE WHITE

D3SCUW

UNEQUAL PRESSURE

PG 111



Equal high pressure
mixing valve included

DESIGNER III FELTONMIX®
TRADE COMBO EQUAL HIGH
PRESSURE CHROME GREY

D3SCHCG

MAINS PRESSURE

PG 111



DESIGNER II FELTONMIX®
WALLSET WHITE

WWSD2

ALL PRESSURES

PG 112



DESIGNER II FELTONMIX®
WALLSET CHROME

CWSD2

ALL PRESSURES

PG 112



DESIGNER '86 FELTONMIX®
MIXING VALVE EQUAL HIGH
PRESSURE (PINK)

FMH

MAINS PRESSURE

PG 113



DESIGNER '86 FELTONMIX®
MIXING VALVE UNEQUAL
PRESSURE (BLUE)

FMU

UNEQUAL PRESSURE

PG 113



DESIGNER '86 FELTONMIX®
MIXING VALVE EQUAL LOW
PRESSURE (GREEN)

FME

LOW PRESSURE

PG 113



**DESIGNER SURFACE MOUNT
PACK**

WSMP

ALL PRESSURES

PG 112



**DESIGNER REGAL OVER THE
BATH UNIT**

RW

ALL PRESSURES

PG 113



Bathroom
RAIN HEADS



TATE RAIN HEAD CEILING MOUNTED (300MM)

AVAILABLE IN 6 FINISHES

ALL PRESSURE

min 70kPa

PG 34



TATE RAIN HEAD CEILING MOUNTED (180MM)

AVAILABLE IN 6 FINISHES

ALL PRESSURE

min 70kPa

PG 34



TATE RAIN HEAD WALL MOUNTED (450MM)

AVAILABLE IN 6 FINISHES

ALL PRESSURE

min 70kPa

PG 35



AXISS RAIN HEAD CEILING MOUNTED BLACK (300MM)

AXRHCMB

ALL PRESSURES

min 35kPa

PG 49



AXISS RAIN HEAD CEILING MOUNTED BLACK (180MM)

AXRHMSB

ALL PRESSURES

min 35kPa

PG 49



AXISS RAIN HEAD WALL MOUNTED BLACK (450MM)

AXRHWMB

ALL PRESSURES

min 35kPa

PG 49



AXISS RAIN HEAD CEILING MOUNTED (300MM)

AXRHCMC

ALL PRESSURES

min 35kPa

PG 57



AXISS RAIN HEAD CEILING MOUNTED (180MM)

AXRHCMSC

ALL PRESSURES

min 35kPa

PG 57



AXISS RAIN HEAD WALL MOUNTED (450MM)

AXRHWMC

ALL PRESSURES

min 35kPa

PG 57



HALO RAIN HEAD CEILING MOUNTED (300MM)

HRHCMC

ALL PRESSURES

min 70kPa

PG 75



HALO RAIN HEAD CEILING MOUNTED (180MM)

HRHCMSC

ALL PRESSURES

min 70kPa

PG 75



HALO RAIN HEAD WALL MOUNTED (450MM)

HRHWMC

ALL PRESSURES

min 70kPa

PG 75





URBAN RAIN HEAD CEILING MOUNTED (300MM)
URHCMC

ALL PRESSURES
min 70kPa
PG 79



URBAN RAIN HEAD CEILING MOUNTED (180MM)
URHCMSC

ALL PRESSURES
min 70kPa
PG 79



URBAN RAIN HEAD WALL MOUNTED (450MM)
URHWMC

ALL PRESSURES
min 70kPa
PG 79



QUE RAIN HEAD CEILING MOUNTED BLACK (300MM)
QRHCMB

ALL PRESSURES
min 70kPa
PG 83



QUE RAIN HEAD CEILING MOUNTED BLACK (180MM)
QRHCMCB

ALL PRESSURES
min 70kPa
PG 83



QUE RAIN HEAD WALL MOUNTED BLACK (450MM)
QRHWMB

ALL PRESSURES
min 70kPa
PG 83



QUE RAIN HEAD CEILING MOUNTED (300MM)
QRHCMC

ALL PRESSURES
min 70kPa
PG 91



QUE RAIN HEAD CEILING MOUNTED (180MM)
QRHCMSC

ALL PRESSURES
min 70kPa
PG 91



QUE RAIN HEAD WALL MOUNTED (450MM)
QRHWMC

ALL PRESSURES
min 70kPa
PG 91



Bathroom

RAIN SHOWER COLUMNS




TATE RAIN SHOWER COLUMN
AVAILABLE IN 7 FINISHES

MAINS PRESSURE



AXISS RAIN SHOWER COLUMN
BLACK
AXRSCB

MAINS PRESSURE



AXISS RAIN SHOWER COLUMN
AXRSCC

MAINS PRESSURE



HALO II RAIN SHOWER
COLUMN
H2RSCC

MAINS PRESSURE



HALO RAIN SHOWER COLUMN
HRSCC

MAINS PRESSURE



QUE RAIN SHOWER COLUMN
BRUSHED NICKEL
QRSCBN

MAINS PRESSURE



QUE II RAIN SHOWER COLUMN
Q2RSCC

MAINS PRESSURE



QUE RAIN SHOWER COLUMN
QRSCC

MAINS PRESSURE



Bathroom

SLIDE SHOWERS

TOP
ENTRY
INLET



TATE AERLUX™ SINGLE SPRAY SLIDE SHOWER

AVAILABLE IN 7 FINISHES

MAINS PRESSURE

PG 30



TATE AERLUX™ CONVENTIONAL SLIDE RAIL

AVAILABLE IN 7 FINISHES

MAINS PRESSURE

PG 31



AXISS II SINGLE SPRAY SLIDE SHOWER BLACK

AX2HSKCSRB

ALL PRESSURES

PG 48



AXISS II SINGLE SPRAY SLIDE SHOWER CHROME

AX2HSKCSR

ALL PRESSURES

PG 56



TOP
ENTRY
INLET



MAX SINGLE SPRAY SLIDE SHOWER

MXHSKCSR

ALL PRESSURES

PG 63



HALO II SINGLE SPRAY SLIDE SHOWER WHITE

H2HSKCSRW

ALL PRESSURES

PG 74



HALO II SINGLE SPRAY SLIDE SHOWER GUNMETAL

H2HSKCSRG

ALL PRESSURES

PG 74



URBAN II SINGLE SPRAY SLIDE SHOWER WHITE

U2HSKCSRW

ALL PRESSURES

PG 78



URBAN II SINGLE SPRAY SLIDE SHOWER GUNMETAL

U2HSKCSRG

ALL PRESSURES

PG 78



Bathroom

SLIDE SHOWERS (continued...)



QUE II SINGLE SPRAY
SLIDE SHOWER BLACK
Q2HSKCSRB

ALL PRESSURES
PG 82



QUE II SINGLE SPRAY
SLIDE SHOWER BRUSHED
NICKEL
Q2HSKCSRBN

ALL PRESSURES
PG 86



QUE II SINGLE SPRAY
SLIDE SHOWER CHROME
Q2HSKCSR

ALL PRESSURES
PG 90



JAZ SINGLE SPRAY SLIDE
SHOWER
JHSKCSR

ALL PRESSURES
PG 95



ODYSSEY II SINGLE SPRAY
SLIDE SHOWER
O2CHSKCSR

ALL PRESSURES
PG 103



ODYSSEY II HAND SHOWER KIT
O2HSKC

ALL PRESSURES
PG 103



DESIGNER II SINGLE SPRAY
SLIDE SHOWER
D2HSKCSR

ALL PRESSURES
PG 115



DESIGNER II FLEXISHOWER
CHROME
D2FSCCSR

ALL PRESSURES
PG 115



SHOWER HEADS



TATE AERLUX™ SHOWER ROSE

AVAILABLE IN 7 FINISHES

ALL PRESSURES

PG 33



ELLA SHOWER ROSE 01

C-SHC01

ALL PRESSURES

PG 69



**DESIGNER III SHOWER HEAD
CHROME GREY DELUXE**

D3SHCGD

ALL PRESSURES

PG 112



**DESIGNER II SHOWER HEAD
CHROME**

CSHD2

ALL PRESSURES

PG 114



**DESIGNER II SHOWER HEAD
WHITE**

WSHD2

ALL PRESSURES

PG 114



WSH

ALL PRESSURES

PG 114



**VARIABLE SHOWER HEAD
WHITE**

WSHV

ALL PRESSURES

PG 114

OXIJET®



**OXIJET® TO FIT SHOWER
HANDPIECE (YELLOW)**

TP0114

MAINS PRESSURE

PG 117



**OXIJET® TO FIT FEMALE FIXED
ROSE (PINK)**

TP0115

MAINS PRESSURE

PG 117










**OXIJET® TO FIT MALE FIXED
ROSE (BLUE)**

TP0116

MAINS PRESSURE

PG 117

OUR WARRANTIES

PRODUCT CATEGORY	5 YEARS WARRANTY Replacement parts only	10 YEARS WARRANTY Replacement parts only	LIFE TIME EXTENSION Eligibility*	12 MONTHS COMMERCIAL WARRANTY Replacement parts only
 <p>Digital Mixers Finishes</p>	✓	✗	✗	✗
 <p>Equal pressure (Flexidisc®) Mains pressures Fusion® Fusion Plus® Versadisc® Shower Mixers</p>	✗	✓ 5 Years Plumber's Labour (Conditions Apply)	✓	✓
 <p>Basin Mixers Basin Taps Sink Mixers Sink Taps Stop Cocks Bath Spouts & Fillers Laundry Taps</p>	✗	✓ 5 Years Plumber's Labour (Conditions Apply)	✓	✓
 <p>Oxijet® Water Saving Products</p>	✗	✓	✗	✓
 <p>Feltonmix® Shower Mixers</p>	✓ 5 Years Plumber's Labour (Conditions Apply)	✗	✗	✓
 <p>Shower Heads Hand Showers Slide Showers Rain Columns</p>	✓	✗	✗	✓
 <p>Spare Parts & Accessories</p>	✓	✗	✗	✗

*You must register the purchase and installation of the mixer by returning the completed warranty card to Felton within 6 months of the date of purchase. Full T&C available online - www.felton.co.nz

D I G I T A L W A R R A N T Y

5 year warranty applies to all Felton branded products including the electronic hardware and its components.

Where products are promoted as having a “5 year warranty”, Felton Industries Limited guarantees the electronic components of these products (excluding batteries) to be free from defects in materials and workmanship under normal installation, use and service for a period of five (5) years from the date of purchase. Fair wear and tear is expressly excluded.

This warranty is effective for five (5) years from the date of purchase and covers electronic replacement parts only (excluding batteries) and 2 years from the date of purchase for plumber’s labour relating solely to repairing or replacing the Hardware, provided the product is installed by a registered plumber. You must retain proof of purchase of the hardware (such as an invoice or receipt) and proof of installation by a registered plumber and provide these to Felton on request.

This warranty is for manufacturing defects only and does not cover any damage to product due to abuse, negligence or improper installation. This warranty is given on the understanding that the product is installed by a registered plumber and operated according to Felton’s installation guide and the Australian/ New Zealand standard AS/NZS3500. This warranty is provided to persons who are a “consumer” under the Consumer Guarantees Act 1993 only and for use in domestic/residential dwellings only (not for commercial use).

This warranty is subject to any other rights or remedies that you may have under the Consumer Guarantees Act 1993 (or any other applicable legislation) and to Felton’s Terms of Trade.

This 5 year warranty does not cover:

- 1) any consumable items (e.g. batteries, filters, installation fittings) supplied with the products.
- 2) damage, problems or unsatisfactory performance caused to the electronic hardware by:
 - a. Faulty or incorrect electrical wiring, incorrect power supply, voltage fluctuations, over voltage transient spikes or electromagnetic interference not originating within the electronic hardware.
 - b. Incorrect or poor installation or application
 - c. Operation at conditions outside the operating conditions specified in the Felton technical or sales data applicable to that electronic hardware.
 - d. Reconfiguration of the digital interface by the user – this is considered a service not a warranty.

F I N I S H E S C A R E & M A I N T E N A N C E

Any metal coating can scratch, whether it’s a chrome plated tap or a polished car – if you scrape something sharp or hard on the surface, it will leave a mark and may remove some coating. All that should touch tapware and showerware is skin, cloths and towels. Rings on fingers can be a risk – but it takes some force to do much damage.

The main risk of scratching is in the installation and building phase. Once installed, fittings need protection until the renovation or build is finished. We recommend leaving the cloth bag (supplied with most tapware product) or shower mixer sleeve protector over it until all work is finished.

A soft cloth or microfibre cloth and warm soapy water is all that’s needed to clean Felton products. Avoid waxes, solvents, abrasives, acids and other chemical-based cleaning products and don’t use any rough cleaning materials such as scourers.

A special note for tapware and showerware with a matte black finish – over time, you may find light staining due to silicone grease from the o-rings and seals used in the swivel joints and for watertightness. You can remove this by using a clean soft/microfibre cloth with methylated spirits (denatured alcohol) or dishwashing liquid to remove any silicone grease stain. Overall, with a little TLC the more you care for your tapware, the longer they will last.

N.B. All Matte Black, Gloss Black, Brushed Gold, Brushed Nickel, Brushed Gunmetal and Brushed Bronze products have a 5 year limited warranty on product finish.

FELTON

www.felton.co.nz

CALL **0800 743 358**

FAX **0800 329 335**

At Felton we care about our customers, our people and our planet. We are passionate about enhancing lives with innovative products. Felton products combine unique water technologies with a focus on the end user. To find out more, visit our website or follow us on social media.

FELTON PRODUCT CATALOGUE

Effective 1 April 2021. Products may differ slightly from literature and illustrations. Felton Industries Limited reserves the right to incorporate product changes and improvements without prior notice.



FELTON INDUSTRIES LTD

8 Farmhouse Lane, Saint Johns, Auckland 1072
sales@felton.co.nz | Find us on social media



@feltontapware



/feltonltd



/FeltonIndustriesLimited



@feltonltd



/felton-industries-limited